

Technical data sheet



Product features

Gas fryer 17 l

Model	SAP Code	00013694
--------------	-----------------	----------



- Basin volume [l]: 17
- Drain type: Trough the cabinet
- Drain: Yes
- Maximum device temperature [°C]: 190
- Minimum device temperature [°C]: 50
- Material: AISI 304 top plate, AISI 430 cladding
- Heating location: Inside the tank
- Ignition: Piezo
- Number of baskets: 1

SAP Code	00013694	Type of gas	Natural gas, propane butane
Net Width [mm]	400	Basin volume [l]	17
Net Depth [mm]	900	Number of basins	1
Net Height [mm]	900	Number of baskets	1
Net Weight [kg]	49.00	Ratio power/volume [kW/l]	0.82
Power gas [kW]	14.000		

Technical data sheet



Technical parameters

Gas fryer 17 l

Model

SAP Code

00013694

1. SAP Code:

00013694

2. Net Width [mm]:

400

3. Net Depth [mm]:

900

4. Net Height [mm]:

900

5. Net Weight [kg]:

49.00

6. Gross Width [mm]:

465

7. Gross depth [mm]:

995

8. Gross Height [mm]:

1153

9. Gross Weight [kg]:

56.00

10. Device type:

Gas unit

11. Construction type of device:

With substructure

12. Power gas [kW]:

14.000

13. Ignition:

Piezo

14. Type of gas:

Natural gas, propane butane

15. Protection of controls:

IPX4

16. Material:

AISI 304 top plate, AISI 430 cladding

17. Worktop type:

Molded - comfortable cleaning maintenance

18. Worktop material:

AISI 304

19. Worktop Thickness [mm]:

1.50

20. Basin volume [l]:

17

21. Maximum device temperature [°C]:

190

22. Minimum device temperature [°C]:

50

23. Service accessibility:

Trough the frontal panel

24. Safety thermocouple:

Yes

25. Safety thermostat:

Yes

26. Safety thermostat up to x °C:

230

27. Adjustable feet:

Yes

28. Heating element material:

AISI 304

Technical data sheet



Technical parameters

Gas fryer 17 l

Model

SAP Code

00013694

29. Number of baskets:

1

30. False bottom:

Yes

31. Number of basins:

1

32. Basin material:

AISI 304 - High quality stainless steel

33. Ratio power/volume [kW/l]:

0.82

34. Drain type:

Trough the cabinet

35. Drain:

Yes

36. Heating location:

Inside the tank