

Technical data sheet

Product features



Fry-top griddle plate 79x52 electric combined without cabinet 400 V

Model	SAP Code	00001065
--------------	-----------------	----------



- Top type: Combined
- Griddle dimensions [mm x mm]: 760 x 510
- Griddle thickness [mm]: 14.00
- Worktop material: Stainless steel
- Container for liquid fat: Yes
- Independent heating zones: Separate control for each heating zone
- Maximum device temperature [°C]: 300
- Removable rim: Yes

SAP Code	00001065	Power electric [kW]	11.100
Net Width [mm]	800	Loading	400 V / 3N - 50 Hz
Net Depth [mm]	705	Griddle dimensions [mm x mm]	760 x 510
Net Height [mm]	280	Top type	Combined
Net Weight [kg]	100.00	Worktop type	Molded - comfortable cleaning maintenance

Technical data sheet

Technical drawing



Fry-top griddle plate 79x52 electric combined without cabinet 400 V

Model

SAP Code

00001065



A	Data plate		B	Electrical connection	
---	------------	--	---	-----------------------	--

Technical data sheet

Product benefits



Fry-top griddle plate 79x52 electric combined without cabinet 400 V

Model	SAP Code	00001065
-------	----------	----------

1

All-stainless design

- long life
- resistance of AISI 304 stainless steel material
- the material does not cut
 - savings on service interventions
 - easier and faster operation

2

Degree of protection of the control elements IPX5

- maintenance-free system
- resistance to splash water
- long life
 - savings on service interventions
 - easy cleaning and maintenance of equipment

3

Outlet for waste liquids

- ensures that oil drips into the socket
 - easy maintenance
 - easy cleaning

4

High detachable hem

- better hygienic conditions
- preventing grease from splashing onto ancillary equipment
 - easy maintenance
 - easy cleaning

5

Combined steel plate

- good heat transfer and the surface does not get scratched
- enables preparation on smooth or grooved plates
 - time-saving in food preparation
 - easy preparation of different types of dishes

6

Outlet for waste liquids

- ensures that oil drips into the socket
 - easy maintenance
 - easy cleaning

7

Cooking unit for use on a table or on a base

- variable use
- the possibility of placement in smaller spaces
 - easy handling
 - cost savings on substructure

8

Combined grilling area

- straight and grooved grid
 - the possibility of preparing several types of gastronomic treatments at the same time
 - separate control of each area

Technical data sheet

Technical parameters



Fry-top griddle plate 79x52 electric combined without cabinet 400 V

Model	SAP Code	00001065
-------	----------	----------

1. SAP Code:

00001065

2. Net Width [mm]:

800

3. Net Depth [mm]:

705

4. Net Height [mm]:

280

5. Net Weight [kg]:

100.00

6. Gross Width [mm]:

830

7. Gross depth [mm]:

770

8. Gross Height [mm]:

540

9. Gross Weight [kg]:

103.00

10. Device type:

Electric unit

11. Construction type of device:

Table top

12. Power electric [kW]:

11.100

13. Loading:

400 V / 3N - 50 Hz

14. Protection of controls:

IPX5

15. Device color:

Stainless steel

16. Material:

Stainless steel

17. Indicators:

operation and warm-up

18. Worktop type:

Molded - comfortable cleaning maintenance

19. Worktop material:

Stainless steel

20. Worktop Thickness [mm]:

2.00

21. Standard equipment for device:

comes with a stainless steel scraper for cleaning pastries

22. Maximum device temperature [°C]:

300

23. Minimum device temperature [°C]:

50

24. Power control type:

knob control

25. Service accessibility:

Trough the frontal panel

26. Safety element:

safety thermostat

27. Safety thermostat:

Yes

28. Adjustable feet:

Yes

Technical data sheet

Technical parameters



Fry-top griddle plate 79x52 electric combined without cabinet 400 V

Model

SAP Code

00001065

29. Griddle dimensions [mm x mm]:

760 x 510

33. Removable rim:

Yes

30. Griddle thickness [mm]:

14.00

34. Uniform heating:

Yes

31. Container for liquid fat:

Yes

35. Top type:

Combinated

32. Independent heating zones:

Separate control for each heating zone