

Product features

Cooking range electric 4x plate on open cabinet 400 V

Model

SAP Code

00012395



- Device type: Electric unit
- Power consumption of the zone 1 [kW]: 3,5
- Power consumption of the zone 2 [kW]: 3,5
- Power consumption of the zone 3 [kW]: 3,5
- Power consumption of the zone 4 [kW]: 3,5
- Material: AISI 304 top plate, AISI 430 cladding

SAP Code	00012395	Number of zones	4
Net Width [mm]	800	Power consumption of the zone 1 [kW]	3,5
Net Depth [mm]	900	Power consumption of the zone 2 [kW]	3,5
Net Height [mm]	900	Power consumption of the zone 3 [kW]	3,5
Net Weight [kg]	99.00	Power consumption of the zone 4 [kW]	3,5
Power electric [kW]	14.000	Diameter of device [mm]	300
Loading	400 V / 3N - 50 Hz		



Product benefits

Cooking range electric 4x plate on open cabinet 400 V

Model SAP Code 00012395

Square plates

quick warm-up

efficient cooking on a large square surface

- time-saving in food preparation
- easy to use thanks to the large surface area of the cooking plates

Internal thermostatic plate protection

longer service life of the plates

- no overheating of the plates and no cracking

Degree of protection of the control elements IPX4

maintenance-free system resistance to splash water long life

- savings on service interventions
- easy cleaning and maintenance of equipment

All-stainless design

long life resistance of a ground steel plate with a thickness of 10 mm

- savings on service interventions
- higher corrosion resistance

Hygienic moldings of the top plate

absence of sharp corners and edges (potential places where dirt could stick) smooth transitions

- easy quick cleaning

Variability

the possibility of adding to the current line easy possibility of creating one module long life

- cost saving
- space saving
- long service life



Technical parameters

Model	SAP Code 00012395	
1. SAP Code: 00012395	15. Material: AISI 304 top plate, AISI 430 cladding	
2. Article group: RF-Line 900	16. Worktop type: Molded - comfortable cleaning maintenand	ce
3. Net Width [mm]:	17. Worktop material:	
800	AISI 304	
4. Net Depth [mm]:	18. Worktop Thickness [mm]:	
900	1.50	
5. Net Height [mm]: 900	19. Number of zones: 4	
6. Net Weight [kg]:	20. Power consumption of the zone 1 [kW]	
99.00	3,5	
7. Gross Width [mm]: 840	21. Power consumption of the zone 2 [kW] 3,5	}
8. Gross depth [mm]: 970	22. Power consumption of the zone 3 [kW] 3,5	}
9. Gross Height [mm]:	23. Power consumption of the zone 4 [kW]	}
1160	3,5	
10. Gross Weight [kg]: 113.00	24. Number of power control stages:	
L1. Device type: Electric unit	25. Service accessibility: Trough the frontal panel	
12. Construction type of device:	26. Safety element:	
With substructure	internal thermostatic protection of the hot against overheating	olate
13. Power electric [kW]:	27. Adjustable feet:	
14.000	Yes	
4 Landings	20 November of house with a building	

28. Number of burners/hot plates:

4

14. Loading:

400 V / 3N - 50 Hz



Technical parameters

Cooking range electric 4x plate on open cabinet 400 V				
Model	SAP Code	00012395		

29. Diameter of device [mm]:

300

30. Type of electric cooking zones:

Squared