

# Technical data sheet

## Product features



### Tilting bratt pan automatic tilting electric 120 l steel compound bottom

<b>Model</b>	<b>SAP Code</b>	00000135
--------------	-----------------	----------



- Bottom material: Steel - suitable for frying
- Bottom thickness: 12.00
- Basin volume [l]: 120
- Usable volume [l]: 120
- Tilting: Motorised
- Filling: Mechanical cock
- Type of pan: Tiltting
- Protection of controls: IPX4
- Basin dimensions [mm x mm x mm]: 1121 x 560 x 225

<b>SAP Code</b>	00000135	<b>Loading</b>	400 V / 3N - 50 Hz
<b>Net Width [mm]</b>	1200	<b>Bottom material</b>	Steel - suitable for frying
<b>Net Depth [mm]</b>	900	<b>Basin volume [l]</b>	120
<b>Net Height [mm]</b>	900	<b>Usable volume [l]</b>	120
<b>Net Weight [kg]</b>	205.00	<b>Tilting</b>	Motorised
<b>Power electric [kW]</b>	18.000		

# Technical data sheet

## Product benefits



### Tilting bratt pan automatic tilting electric 120 l steel compound bottom

<b>Model</b>	<b>SAP Code</b>	00000135
--------------	-----------------	----------

# 1

#### Motorized lift system

comfortable operation, the operator does not have to turn and a lifting mechanical wheel for tilting the tub  
faster tipping of the tub  
long life

- savings on service interventions
- easier and faster operation

# 2

#### Degree of protection of the control elements IPX4

maintenance-free system  
resistance to splash water  
long life

- savings on service interventions
- easy cleaning and maintenance of equipment

# 3

#### All-stainless design

the material does not cut  
wear resistance of the material  
long life

- savings on service interventions
- easy cleaning and maintenance of equipment

# 4

#### Efficient distribution of heating elements

perfect heat distribution including corners  
fast heating

- saving time when cooking
- saving energy
- long service life

# 5

#### Steel bottom

hot water steel bottom

- even heat distribution
- high durability
- long service life
- suitable for frying and toasting

# Technical data sheet

Technical parameters



## Tilting bratt pan automatic tilting electric 120 l steel compound bottom

**Model**

**SAP Code**

00000135

**1. SAP Code:**

00000135

**2. Net Width [mm]:**

1200

**3. Net Depth [mm]:**

900

**4. Net Height [mm]:**

900

**5. Net Weight [kg]:**

205.00

**6. Gross Width [mm]:**

970

**7. Gross depth [mm]:**

1240

**8. Gross Height [mm]:**

1200

**9. Gross Weight [kg]:**

211.00

**10. Device type:**

Electric unit

**11. Construction type of device:**

Stationary

**12. Power electric [kW]:**

18.000

**13. Loading:**

400 V / 3N - 50 Hz

**14. Protection of controls:**

IPX4

**15. Device color:**

Stainless steel

**16. Material:**

AISI 304

**17. Indicators:**

operation and warm-up

**18. Worktop type:**

Molded - comfortable cleaning maintenance

**19. Basin volume [l]:**

120

**20. Basin dimensions [mm x mm x mm]:**

1121 x 560 x 225

**21. Maximum device temperature [°C]:**

300

**22. Minimum device temperature [°C]:**

50

**23. Safety thermostat:**

Yes

**24. Adjustable feet:**

Yes

**25. Tilting:**

Motorised

**26. Bottom thickness:**

12.00

**27. Bottom material:**

Steel - suitable for frying

**28. Type of pan:**

Tilting

# Technical data sheet

Technical parameters



Tilting bratt pan automatic tilting electric 120 l steel compound bottom

**Model**

**SAP Code**

00000135

**29. Usable volume [l]:**

120

**31. Water filling type:**

Cold

**30. Filling:**

Mechanical cock