



Tilting bratt pan automatic tilting electric 50 l stainless steel bottom

Model SAP Code 00000140



- Bottom material: Stainless steel suitable for cooking, easy maintenance
- Bottom thickness: 12.00
- Basin volume [l]: 50
- Usable volume [l]: 50
- Tilting: Motorised
- Filling: Mechanical cock
- Type of pan: Tillting
- Basin shape: Practically shaped bathtub spout to minimize spillage
- Protection of controls: IPX4
- Basin dimensions [mm x mm x mm]: 720 x 465 x 200
- Service accessibility: Trough the frontal panel

SAP Code	00000140	Loading	400 V / 3N - 50 Hz
Net Width [mm]	800	Bottom material	Stainless steel - suit- able for cooking, easy maintenance
Net Depth [mm]	700	Basin volume [l]	50
Net Height [mm]	900	Usable volume [l]	50
Net Weight [kg]	125.00	Tilting	Motorised
Power electric [kW]	10.620		





Tilting bratt pan automatic tilting electric 50 l stainless steel bottom

Model SAP Code 00000140

Motorized lift system

comfortable operation, the operator does not have to turn and a lifting mechanical wheel for tilting the tub faster tipping of the tub long life

- savings on service interventions
- easy cleaning and maintenance of equipment

Degree of protection of the control elements IPX4

maintenance-free system resistance to splash water long life

- savings on service interventions
- easy cleaning and maintenance of equipment

All-stainless design the material does not cut

wear resistance of the material long life

- savings on service interventions
- easy cleaning and maintenance of equipment

Efficient distribution of heating elements perfect heat distribution including corners

fast heating

- saving time when cooking
- saving energy
- long service life

Stainless steel bottom

stainless steel hygienic AISI 304 bottom

- material suitable for all types of heat treatment, including frequent cooking
- minimal maintenance
- easy cleaning
- long service life

Technical parameters



Tilting bratt pan automatic tilting electric 50 l stainless steel bottom				
Model	SAP Code	00000140		
1. SAP Code:		14. Protection of controls:		
00000140 2. Net Width [mm]:		15. Material:		
800		AISI 304 top plate and cladding ————————————————————————————————————		
3. Net Depth [mm]: 700		16. Indicators: operation and warm-up		
4. Net Height [mm]:		17. Worktop type: Molded - comfortable cleaning maintenance		
5. Net Weight [kg]: 125.00		18. Worktop material: AISI 304		
6. Gross Width [mm]: 770		19. Worktop Thickness [mm]: 2.00		
7. Gross depth [mm]: 840		20. Surface finish: sandblasted surface without coating		
8. Gross Height [mm]: 1200		21. Device heating type: Direct		
9. Gross Weight [kg]: 135.00		22. Basin volume [l]: 50		
10. Device type: Electric unit		23. Basin dimensions [mm x mm x mm]: 720 × 465 × 200		
11. Construction type of device: With substructure		24. Maximum device temperature [°C]: 300		
12. Power electric [kW]: 10.620		25. Minimum device temperature [°C]: 50		

26. Service accessibility:

Trough the frontal panel

13. Loading:

400 V / 3N - 50 Hz



Technical parameters

Tilting bratt pan automatic tilting electric 50 l stainless steel bottom				
Model SAP Code		00000140		
27. Safety element: the safety switch prevents the heating from being switched on if the bathtub is not lowered to the basic position safety thermostat		33. Type of pan: Tillting		
28. Safety thermostat: Yes		34. Usable volume [l]: 50		
29. Adjustable feet: Yes		35. Filling: Mechanical cock		
30. Tilting: Motorised		36. Basin shape: Practically shaped bathtub spout to minimize spillage		
31. Bottom thickness: 12.00		37. Water filling type: Cold		

32. Bottom material:

Stainless steel - suitable for cooking, easy maintenance