




#### Ice maker hollow ice cube 40 air cooling with drain pump

**Model SAP Code** 00020496



- Cooling type: Air
- Max ambient temperature [°C]: 43
- Min ambient temperature [°C]: 10
- Type of ice: Hatter
- Weight of ice [g]: 22.00
- Production per day [kg]: 112
- Water consumption [ l/h ]: 14.10
- Container for ice: Yes
- Ice storage capacity [kg]: 60
- Material: AISI 304


SAP Code	00020496	Cooling type	Air
Net Width [mm]	715	Water consumption [ l/h ]	14.10
Net Depth [mm]	700	Production per day [kg]	112
Net Height [mm]	1044	Type of ice	Hatter
Net Weight [kg]	81.00	Weight of ice [g]	22.00
Power electric [kW]	0.934	Ice storage capacity [kg]	60
Loading	230 V / 1N - 50 Hz	Drain pump	Yes








Ice maker hollow ice cube 40 air cooling with drain pump

**Model SAP Code** 00020496









<sup>\*</sup> All measurements in mm. \* Todas las cotas en mm.





#### Ice maker hollow ice cube 40 air cooling with drain pump

**Model SAP Code** 00020496

#### Firm and crystal clear ice hats

icy hats without dirt

- health safety and aesthetic impression

### A3S: System with flexible nozzles with minor vibrations

prevents limescale from settling.

 longer life of the device without the need to remove scale

#### **SFVS front ventilation**

allows the units of the unit to the interior

- variability of the location of the device

#### **Cleaning switch**

disconnects the cooling system when circulating water with a limescale removal product

- saving human work and time

### Motor pump "NEVER STOP" (construction without seal)

prevents depreciation in hard water

 longer life of the device without the need to remove scale = economic and time savings

### EASI: Installation and service system - all panels can be removed separately

easy access for installation and service.

- saving time, human work, costs

#### Printed circuit board at the bottom

easy service

- saving time and human work

#### Tropical version of the machine (class t)

adaptation to extreme climatic conditions.

- use in extreme climatic conditions

### Stif: a construction supported by 4 -steel columns

strength

 the possibility of higher loads and a difficult deformation



### Technical parameters

Ice maker hollow ice cube 40 air	cooling with drain pu	ump	
Model	SAP Code	00020496	
<b>1. SAP Code:</b> 00020496		15. Material: AISI 304	
<b>2. Net Width [mm]:</b> 715		<b>16. Exterior color of the device:</b> Stainless steel	
<b>3. Net Depth [mm]:</b> 700		<b>17. Min ambient temperature [°C]:</b> 10	
<b>4. Net Height [mm]:</b> 1044		18. Max ambient temperature [°C]:	
5. Net Weight [kg]: 81.00		<b>19. Additional information:</b> Max. height with legs 1199 mm	
<b>6. Gross Width [mm]:</b> 790		20. Production per day [kg]: 112	
<b>7. Gross depth [mm]:</b> 770		21. Water consumption [ l/h ]: 14.10	
8. Gross Height [mm]:		<b>22. Door of device:</b> Full	
<b>9. Gross Weight [kg]:</b> 91.00		<b>23. Type of ice:</b> Hatter - Kloboučkový	
10. Device type: Electric unit		<b>24. Weight of ice [g]:</b> 22.00	
11. Power electric [kW]: 0.934		<b>25. Container for ice:</b> Yes	
<b>12. Loading:</b> 230 V / 1N - 50 Hz		<b>26. Ice storage capacity [kg]:</b> 60	
13. Refrigerant: R290		27. Drain pump: Yes	

**14. Cooling type:** Air