



Slicer gear, blade 220 mm serrated

Model SAP Code 00006721



- Blade type: Serrated
- Blade diameter [mm]: 220
- Cutting thickness [mm]: 0 14
- Useful Cut [mm]: 195 x155
- Transfer type: Snail
- Material: Aluminium
- Safety cover: transparent plexiglass
- Safety element: motor with fan and overheating protection stainless steel blade guard transparent finger protection
- Suitable consumer: suitable for small restaurants and snack bars
- Table position: Oblique
- On/Off button: Yes
- Continous work limit: running time without limitation

SAP Code	00006721	Loading	230 V / 1N - 50 Hz
Net Width [mm]	445	Blade type	Serrated
Net Depth [mm]	380	Blade diameter [mm]	220
Net Height [mm]	370	Cutting thickness [mm]	0 - 14
Net Weight [kg]	12.50	Useful Cut [mm]	195 x155
Power electric [kW]	0.140		




Technical drawing

Slicer gear, blade 220 mm serrated

Model SAP Code 00006721

Model	Α		С	D	Е
GMS 220	275	375	380	445	370
GMS 250	275	430	425	525	380
GMS 275 XL	350	490	480	510	400
GMS 300	350	490	480	580	515







Slicer gear, blade 220 mm serrated

Model

SAP Code

00006721

Aluminum alloy body robustness

purity

- long service life
- very easy to clean
- Worm gear

long service life

- thanks to the worm gear and the more powerful motor, it can be used de facto continuously
- Anti-stick treatment of the knife including anti-stick grooves

less adhesion of the sliced food to the knife

- thanks to the blade design, even softer foods can be cut, saving costs and time
- **Fan-cooled motor with overheating protection** greater capacity of processed food

long life

- can work longer thanks to cooling
- less risk of overheating and engine damage due to cooling
- Finger protection

high operational safety

- the finger guard minimises the risk of accidents at work
- Serrated knife
 better cutting quality of soft foods
 - smoother and faster slicing of soft foods saves time and costs
- Grinding equipment included in the price
 - guaranteed sharpness of the knife quick maintenance
 - no additional costs for external grinding
 - easy maintenance
 - immediate solution
 - time saving



Technical parameters

Slicer gear, blade 220 mm se	rrated	
Model	SAP Code	00006721
1. SAP Code: 00006721		14. Loading: 230 V / 1N - 50 Hz
2. Article group: Slicers		15. Control type: Mechanical
3. Net Width [mm]: 445		16. Safety cover: transparent plexiglass
4. Net Depth [mm]: 380		17. Safety element: motor with fan and overheating protection stainless steel blade guard transparent finger protection
5. Net Height [mm]: 370		18. Suitable consumer: suitable for small restaurants and snack bars
6. Net Weight [kg]: 12.50		19. Engine protection: fan and overheating protection
7. Gross Width [mm]: 480		20. Adjustable feet: Yes
8. Gross depth [mm]: 580		21. Main switch: Yes
9. Gross Height [mm]: 460		22. Transfer type: Snail
LO. Gross Weight [kg]: 14.00		23. Blade type: Serrated
11. Device type: Electric unit		24. Blade diameter [mm]:
12. Material: Aluminium		25. Useful Cut [mm]: 195 x155
13. Power electric [kW]:		26. On/Off button:

0.140

Yes



Technical parameters

Oblique

Slicer gear, blade 220 mm serrat	ed		
Model	SAP Code	00006721	
27. Continous work limit:		31. Blade cover material: Stainless steel	
running time without limitation		Staffiess steet ——————————————————————————————	
28. Removable moving table: Yes		32. Sharpening device: Additional included in the price	
29. Anti-adhesive blade treatmen Yes	t:	33. Blade hardness: 58-59 HRC	
30. Table position:		34. Cutting thickness [mm]:	

0 - 14