

Technical data sheet



Product features

Boiling kettle electric indirect autoclave 150 l

Model	SAP Code	00015047
--------------	-----------------	----------

- Device type: Electric unit
- Device heating type: Indirect
- Steam pressure regulation: Mechanical - the valve releases steam at high pressure
- Filling: Mechanical cock
- Jacket filling: Semi-automatic
- Drain valve diameter: 2"
- Usable volume [l]: 150

SAP Code	00015047	Power electric [kW]	21.000
Net Width [mm]	800	Loading	400 V / 3N - 50 Hz
Net Depth [mm]	900	Usable volume [l]	150
Net Height [mm]	900	Device heating type	Indirect
Net Weight [kg]	131.00	Steam pressure regulation	Mechanical - the valve releases steam at high pressure

Technical data sheet



Technical drawing


Boiling kettle electric indirect autoclave 150 l

Model

SAP Code

00015047

1 - PŘÍVOD STUDENÉ VODY	5 - VYPOUŠTĚČÍ KOHOUIT DUKUKÁTORU
2 - POJISTNÝ VENTIL + MONOMER	6 - KONTROLNÍ KOHOUIT HLADINÝ DUKUKÁTORU
3 - PŘÍVOD ZMĚKČELE VODY	7 - VYPOUŠTĚČÍ KOHOUIT DUKUKÁTORU
4 - PŘÍVOD NAPĚTÍ 400V	8 - NAPONUŠTĚČÍ BATERIE



Technical data sheet



Technical parameters

Boiling kettle electric indirect autoclave 150 l

Model	SAP Code	00015047
--------------	-----------------	----------

1. SAP Code:

00015047

2. Article group:

RF-Line 900

3. Net Width [mm]:

800

4. Net Depth [mm]:

900

5. Net Height [mm]:

900

6. Net Weight [kg]:

131.00

7. Gross Width [mm]:

840

8. Gross depth [mm]:

970

9. Gross Height [mm]:

1160

10. Gross Weight [kg]:

146.00

11. Device type:

Electric unit

12. Construction type of device:

Stationary

13. Power electric [kW]:

21.000

14. Loading:

400 V / 3N - 50 Hz

15. Protection of controls:

IPX4

16. Material:

AISI 304 top plate, AISI 430 cladding

17. Indicators:

operation and warm-up

18. Drain valve diameter:

2"

19. Worktop type:

Molded - comfortable cleaning maintenance

20. Worktop material:

AISI 304

21. Worktop Thickness [mm]:

1.50

22. Device heating type:

Indirect

23. Device capacity [l]:

150.00

24. Maximum device temperature [°C]:

90

25. Minimum device temperature [°C]:

30

26. Bottom material:

AISI 316

27. Usable volume [l]:

150

28. Filling:

Mechanical cock

Technical data sheet



Technical parameters

Boiling kettle electric indirect autoclave 150 l

Model

SAP Code

00015047

29. Jacket filling:

Semi-automatic

31. Type of drain valve:

conical

30. Steam pressure regulation:

Mechanical - the valve releases steam at high pressure

32. Manometer:

Yes