

# Technical data sheet

## Product features



### Boiling kettle gas indirect 370 l

<b>Model</b>	<b>SAP Code</b>	00003023
--------------	-----------------	----------



- Device type: Gas unit
- Device heating type: Indirect
- Ignition: Electric
- Steam pressure regulation: Automatic - the pressure switch regulates the performance of the device
- Filling: Semi-automatic
- Jacket filling: Semi-automatic
- Drain: Yes
- Drain valve diameter: 2â€ â€
- Basin dimensions [mm x mm x mm]: 1500 x 550-480
- Basin volume [l]: 370
- Usable volume [l]: 370

<b>SAP Code</b>	00003023	<b>Type of gas</b>	Propane butane, natural gas
<b>Net Width [mm]</b>	1800	<b>Basin volume [l]</b>	370
<b>Net Depth [mm]</b>	900	<b>Usable volume [l]</b>	370
<b>Net Height [mm]</b>	900	<b>Basin dimensions [mm x mm x mm]</b>	1500 x 550-480
<b>Net Weight [kg]</b>	400.00	<b>Device heating type</b>	Indirect
<b>Loading</b>	230 V / 1N - 50 Hz	<b>Steam pressure regulation</b>	Automatic - the pressure switch regulates the performance of the device
<b>Power gas [kW]</b>	61.000		

# Technical data sheet

## Product benefits



### Boiling kettle gas indirect 370 l

Model

SAP Code

00003023

1

#### Safety element “ thermocouple

safe service for staff  
there is no unnecessary gas leakage  
long life

- savings on service interventions
- easier and faster operation

2

#### Degree of protection of the control elements IPX4

maintenance-free system  
resistance to splash water  
long life

- savings on service interventions
- easy cleaning and maintenance of equipment

3

#### Smart handle

protection against scalding when lifting the lid  
easy handling to operate at any height

- high security
- fewer health problems caused by poor ergonomics

4

#### Duplicator bottom AISI 316

long service life even in an aggressive salty environment

- savings on service interventions
- avoidance of losses due to interruptions in plant operation

5

#### All-stainless design including bottom

long service life even in an aggressive salty environment

- savings on service interventions
- easy cleaning and maintenance of equipment

6

#### Upper hygienic molding with an opening for the drainage of excess contents

spilled or overflowing liquids around the boiler neck can drain into the waste

- easier to keep the workplace clean
- easier to maintain hygiene standards
- easier cleaning of the boiler surface

7

#### Filling taps for hot and cold water

the possibility of filling the boiler with water from above

- easier filling and draining of water
- easier to wash with hot water
- convenient faucet control on top of the boiler

# Technical data sheet

Technical parameters



## Boiling kettle gas indirect 370 l

Model

SAP Code

00003023

**1. SAP Code:**

00003023

**2. Net Width [mm]:**

1800

**3. Net Depth [mm]:**

900

**4. Net Height [mm]:**

900

**5. Net Weight [kg]:**

400.00

**6. Gross Width [mm]:**

1800

**7. Gross depth [mm]:**

900

**8. Gross Height [mm]:**

950

**9. Gross Weight [kg]:**

420.00

**10. Device type:**

Gas unit

**11. Construction type of device:**

Stationary

**12. Loading:**

230 V / 1N - 50 Hz

**13. Power gas [kW]:**

61.000

**14. Ignition:**

Electric

**15. Type of gas:**

Propane butane, natural gas

**16. Protection of controls:**

IPX4

**17. Device color:**

Stainless steel

**18. Material:**

AISI 304

**19. Indicators:**

operation and warm-up

**20. Drain valve diameter:**

2â€ â€

**21. Worktop type:**

Molded - comfortable cleaning maintenance

**22. Device heating type:**

Indirect

**23. Basin volume [l]:**

370

**24. Basin dimensions [mm x mm x mm]:**

1500 x 550-480

**25. Safety thermocouple:**

Yes

**26. Adjustable feet:**

Yes

**27. Bottom material:**

AISI 316

**28. Usable volume [l]:**

370

# Technical data sheet

Technical parameters



## Boiling kettle gas indirect 370 l

**Model**

**SAP Code**

00003023

**29. Filling:**

Semi-automatic

**33. Overflow:**

Yes

**30. Jacket filling:**

Semi-automatic

**34. Manometer:**

Yes

**31. Steam pressure regulation:**

Automatic - the pressure switch regulates the performance of the device

**35. Water filling type:**

Cold

**32. Type of drain valve:**

conical

**36. Drain:**

Yes