

**Product features** 

Fry-top griddle plate 65x48 gas combined counter top				
Model	SAP Code	00000993		




- Top type: Combinated
- Griddle dimensions [mm x mm]: 650 x 480
- Griddle thickness [mm]: 10.00
- Container for liquid fat: Yes
- Independent heating zones: Separate control for each heating zone
- Maximum device temperature [°C]: 300
- Surface finish: sandblasted surface without coating
- Removable rim: No
- Ignition: Piezo

SAP Code	00000993	Power gas [kW]	8.000
Net Width [mm]	658	Type of gas	Propane bu- tane, natural gas
Net Depth [mm]	0	Griddle dimensions [mm x mm]	650 x 480
Net Height [mm]	285	Top type	Combinated
Net Weight [kg]	45.00		



Technical drawing

Fry-top griddle plate 65x48 gas combined counter top				
Model	SAP Code	00000993		





**Product benefits** 

#### Fry-top griddle plate 65x48 gas combined counter top

Model SAP Code 00000993

1

#### Safety element - thermocouple

safe service for staff there is no unnecessary gas leakage long life

- savings on service interventions
- easier and faster operation

2

#### All-stainless design

long life resistance of AISI 304 stainless steel material the material does not cut

- savings on service interventions
- easy cleaning and maintenance of equipment

3

## Degree of protection of the control elements IPX4

maintenance-free system resistance to splash water long life

- savings on service interventions
- easy cleaning and maintenance of equipment

4

#### **Outlet for waste liquids**

ensures that oil drips into the socket

- easy maintenance
- easy cleaning

5

#### High non-removable hem

better hygienic conditions preventing grease from splashing onto ancillary equipment

- easy maintenance
- easy cleaning

6

#### Combined plate made of sandblasted steel

good heat transfer enables preparation on smooth or grooved plates

- time-saving in food preparation
- easy preparation of different types of dishes

7

#### Cooking unit for use on a table or on a base

variable use

the possibility of placement in smaller spaces

- easy handling
- cost savings on substructure



### Technical parameters

Fry-top griddle plate 65x48 ga	as combined counter t	ор
Model	SAP Code	00000993
<b>1. SAP Code:</b> 00000993		<b>15. Type of gas:</b> Propane butane, natural gas
2. Article group:  Frying plates		<b>16. Protection of controls:</b> IPX4
——————————————————————————————————————		11 //
<b>3. Net Width [mm]:</b> 658		<b>17. Material:</b> AISI 430
4. Net Depth [mm]:		<b>18. Surface finish:</b> sandblasted surface without coating
5. Net Height [mm]: 285		<b>19. Maximum device temperature [°C]:</b> 300
<b>6. Net Weight [kg]:</b> 45.00		<b>20. Minimum device temperature [°C]:</b> 50
7 Cuasa Middle Immile		21. Adiustable facts
<b>7. Gross Width [mm]:</b> 640		<b>21. Adjustable feet:</b> Yes
8. Gross depth [mm]:		22. Griddle dimensions [mm x mm]:
725		650 x 480
9. Gross Height [mm]:		23. Griddle thickness [mm]:
410		10.00
10. Gross Weight [kg]:		24. Container for liquid fat:
50.00		Yes
11. Device type:		25. Independent heating zones:
Gas unit		Separate control for each heating zone
12. Construction type of device		26. Removable rim:
Table top		No
13. Power gas [kW]:		27. Uniform heating:
8.000		Yes
4.4 Inviting		OO Too house

14. Ignition:

Piezo

28. Top type:

Combinated