



RM 600
Platný od 1.5. 2019
BRT-66G



560075801M00P00



Objednací kód	Popis v ENG
533033300	TANK HANDLE BR-62
541028400	TANK BR-62
546015700	SQUARE BRAID 12*12*L1600 FC.
541209500	TOP OF BRT-66G
541096200	BURNER SUPPORT FT-74G FT-78G
531013800	BURNER BM-61G 102.0299.00
544508100	LHD SIDE OF 60T APPLIANCES
544508000	RHD SIDE OF 60T APPLIANCES
533010500	LEG M10*25 D.40
541191701	




	*	**
G30-28+30mbar G31- 37mbar	533020500	533032601
G30- 50mbar	533020500	533033000
G20- 20mbar G25- 25mbar	533020600	533046100
G20- 20mbar DE-AT	533020600	533046100
G25- 20mbar	533020600	533046200
G25- 25mbar NL	533020600	533032900

560075901M00P00



Objednačí kód	Popis v ENG
533020500	NOZZLE 0.140 §19
533020600	NOZZLE 0.140 §27
533032601	NOZZLE §85 CH12X30,0
533033000	NOZZLE §075 CH12X30,0
533046100	NOZZLE §140 CH12X30 MH-BR
533046200	NOZZLE §150 CH12X30 L-BR TP
533032900	NOZZLE CH12X30,0 Ø145
533009500	NIPPLE FOR BICONE 10S
533009400	BICONE 10S
533093900	FITTING GAS ENTRY 1/2G 2OUT 3/8G
533053600	EUROSIT VALVE PLUG
533010800	TUBE NUT D.10 M16*1,5
533039300	BICONE §10
537002800	PIEZOELECTRIC IGNITION M18 WITH NUT
539065800	BLACK STICKING DISK 72
533018500	FITTING FOR BICONE D.6 M10*1
533039100	BICONE §6
539065600	ADHES.LABEL FOR RING GREEN SIGN.
533023400	"TARGET" PILOT + NIPPLE TC
533023300	BICONE §6 ("TARGET" PILOT)
537010200	ROUND PLUG §2,4 - SHORT ELECTRODE
533045700	THERMOCOUPLE M9*1 500
533018600	PLUG FITTING
547003200	HIGH-VOLTAGE CABLE TUBE.§2 L=500
531032000	GAS COCK P.V.BY-PASS Ø075
533038800	75 BY-PASS FOR 21S TAP
536041800	SILVER CHROM. KNOB Ø77 4P.G.Ø08X6,5
-	-




560125700M00P00



Objednací kód	Popis v ENG
536042300	SILVER CHROM. RING FOR KNOB Ø77 4 P
536042100	SEAL CASING FOR KNOB Ø77 4 P
533162700	PROCESSING CODE




BRT - 66 G
Platný od
1.5.2016
do 30.4.2019





BRT - 66 G
Platný od
1.5.2016
do 30.4.2019



	*	**
G30-28+30mbar G31- 37mbar	533020500	533032601
G30- 50mbar	533020500	533033000
G20- 20mbar G25- 25mbar	533020600	533046100
G20- 20mbar DE-AT	533020600	533046100
G25- 20mbar	533020600	533046200
G25- 25mbar NL	533020600	533032900