

Technical data sheet

Product features



Ice maker hollow ice cube 22 g air cooling with drain pump 37 kg/24h

Model	SAP Code	00018538
--------------	-----------------	----------



- Cooling type: Air
- Max ambient temperature [°C]: 43
- Min ambient temperature [°C]: 10
- Type of ice: Hatter
- Weight of ice [g]: 22.00
- Production per day [kg]: 37
- Water consumption [l/h]: 4.00
- Container for ice: Yes
- Ice storage capacity [kg]: 20
- Material: AISI 304

SAP Code	00018538	Cooling type	Air
Net Width [mm]	465	Water consumption [l/h]	4.00
Net Depth [mm]	595	Production per day [kg]	37
Net Height [mm]	789	Type of ice	Hatter
Net Weight [kg]	41.00	Weight of ice [g]	22.00
Power electric [kW]	0.376	Ice storage capacity [kg]	20
Loading	230 V / 1N - 50 Hz	Drain pump	Yes





Technical data sheet

Technical drawing



Ice maker hollow ice cube 22 g air cooling with drain pump 37 kg/24h

Model	SAP Code	00018538
-------	----------	----------



* All measurements in mm.
* Todas las cotas en mm.

Technical data sheet

Product benefits



Ice maker hollow ice cube 22 g air cooling with drain pump 37 kg/24h

Model	SAP Code	00018538
--------------	-----------------	----------

- 1 Firm and crystal clear ice hats**
icy hats without dirt
 - health safety and aesthetic impression
- 2 A3S: System with flexible nozzles with minor vibrations**
prevents limescale from settling.
 - longer life of the device without the need to remove scale
- 3 SFVS front ventilation**
allows the units of the unit to the interior
 - variability of the location of the device
- 4 Cleaning switch**
disconnects the cooling system when circulating water with a limescale removal product
 - saving human work and time
- 5 Motor pump “NEVER STOP” (construction without seal)**
prevents depreciation in hard water
 - longer life of the device without the need to remove scale = economic and time savings
- 6 EASI: Installation and service system - all panels can be removed separately**
easy access for installation and service.
 - saving time, human work, costs
- 7 Printed circuit board at the bottom**
easy service
 - saving time and human work
- 8 Tropical version of the machine (class t)**
adaptation to extreme climatic conditions.
 - use in extreme climatic conditions
- 9 Stif: a construction supported by 4 -steel columns**
strength
 - the possibility of higher loads and a difficult deformation

Technical data sheet

Technical parameters



Ice maker hollow ice cube 22 g air cooling with drain pump 37 kg/24h

Model

SAP Code

00018538

1. SAP Code:

00018538

2. Net Width [mm]:

465

3. Net Depth [mm]:

595

4. Net Height [mm]:

789

5. Net Weight [kg]:

41.00

6. Gross Width [mm]:

540

7. Gross depth [mm]:

650

8. Gross Height [mm]:

920

9. Gross Weight [kg]:

56.00

10. Device type:

Electric unit

11. Power electric [kW]:

0.376

12. Loading:

230 V / 1N - 50 Hz

13. Refrigerant:

R290

14. Cooling type:

Air

15. Material:

AISI 304

16. Min ambient temperature [°C]:

10

17. Max ambient temperature [°C]:

43

18. Production per day [kg]:

37

19. Water consumption [l/h]:

4.00

20. Door of device:

Full

21. Type of ice:

Hatter

- Kloboučkový

22. Weight of ice [g]:

22.00

23. Container for ice:

Yes

24. Ice storage capacity [kg]:

20

25. Drain pump:

Yes