Product features

Pizza oven 2 chambers 12x d=33 cm




Pizza oven 2 chambers 12x d=33 cm					
Model	SAP Code	00007283			
		<ul> <li>Pizza capacity [cm]: 12x 33 cm</li> <li>Stoneplates: Bottom and top</li> <li>Stone plates thickness [mm]: 14</li> <li>Material: Stainless steel</li> <li>Control type: Mechanical</li> <li>Type of handle: in the entire length stainless steel</li> <li>Steam protection: Yes</li> <li>Independent heating zones: Separe each chamber</li> <li>Type of construction: two-story</li> <li>Chimney for moisture extraction:</li> <li>Adjustable chimney: Yes</li> <li>Interior lighting: Yes</li> </ul>	rate control for		
SAP Code	00007283	Minimum device tem- perature [°C]	50		
Net Width [mm]	975	Maximum device tem- perature [°C]	450		
Net Depth [mm]	1185	Width of internal part [mm]	700		
Net Height [mm]	763	Depth of internal part [mm]	1050		
Net Height [mm] Net Weight [kg]	763 178.00	Depth of internal part [mm] Height of internal part [mm]	1050 150		

Loading

400 V / 3N - 50 Hz

Technical drawing





Product benefits



el	SAP Code	00007283
1	Stainless steel outer shell construction easy cleaning, high hygienic standard, long service life – cost savings on the purchase of a new machine, time savings on cleaning and cleaning comfort	
2	<ul> <li>Chamber heating in the temperature range of 50 to 450°C</li> <li>the temperature range enables the preparation of various types of dough and meat; can also be used for baking</li> <li>we have a crispy pizza in a short time - I can make a pizza according to the dough, the customer does not wait long and the operator serves multiple customers - multiple turns in one oven</li> </ul>	
3	<ul> <li>Fireclay plate 14mm placed below with heaters under the plate</li> <li>proper accumulation and uniformity of heat distribution</li> <li>no scorching and the pizza is evenly cooked and does not burn, no temperature fluctuation, no need for the cook to check and adjust the baking, lower demands on the knowledge and skills of the pizza maker</li> </ul>	
4	Glass set in the door checking the product during heat treatment without having to open the door - I don't lose temperature when baking by unnecessarily opening the door without glass, saving energy	
5	<ul> <li>2x thermostat, separate control of upper and lower heaters</li> <li>more precise regulation of heat in the chamber, according to the type of dough or food</li> <li>better final quality of the product; no burning, variability - suitable for different treatments, better comfort for the experienced cook, suitable for professionals</li> </ul>	
6	<b>Digital chamber thermometer</b> better visibility than analog accurate data – easier operation	

Technical parameters



Pizza oven 2 chambers 12x d=33 ci	m	
Model	SAP Code	00007283
<b>1. SAP Code:</b> 00007283		<b>15. Loading:</b> 400 V / 3N - 50 Hz
<b>2. Article group:</b> Pizza ovens		<b>16. Control type:</b> Mechanical
<b>3. Net Width [mm]:</b> 975		<b>17. Width of internal part [mm]:</b> 700
<b>4. Net Depth [mm]:</b> 1185		<b>18. Depth of internal part [mm]:</b> 1050
<b>5. Net Height [mm]:</b> 763		<b>19. Height of internal part [mm]:</b> 150
<b>6. Net Weight [kg]:</b> 178.00		<b>20. Minimum device temperature [°C]:</b> 50
<b>7. Gross Width [mm]:</b> 1285		<b>21. Maximum device temperature [°C]:</b> 450
8. Gross depth [mm]: 1075		<b>22. Stacking availability:</b> Yes
<b>9. Gross Height [mm]:</b> 863		<b>23. Pizza capacity [cm]:</b> 12x 33 cm
<b>10. Gross Weight [kg]:</b> 180.00		<b>24. Thermometer:</b> Analog
<b>11. Device color:</b> Stainless steel		<b>25. Indicators:</b> running and heating the oven
<b>12. Material:</b> Stainless steel		<b>26. Number of internal parts:</b> 12
<b>13. Device type:</b> Electric unit		<b>27. On/Off button:</b> Yes
<b>14. Power electric [kW]:</b> 14.400		<b>28. Type of handle:</b> in the entire length of the door, stainless steel

Technical parameters



Pizza oven 2 chambers 12x d=33 o	cm	
Model	SAP Code	00007283
<b>29. Steam protection:</b> Yes		<b>35. Interior lighting:</b> Yes
<b>30. Protection of controls:</b> IPX4		<b>36. Safety element:</b> thermostat
<ul> <li>31. Stoneplates: Bottom and top</li> <li>32. Stone plates thickness [mm]: 14</li> </ul>		<ul> <li>37. Number of cavities:</li> <li>2</li> <li>38. Chimney for moisture extraction:</li> <li>Yes</li> </ul>
34. Type of construction:		

two-story