

# Technical data sheet

## Product features



### Multifunctional kitchen appliance INFINITY 5x GN 1/1

<b>Model</b>	<b>SAP Code</b>	00010704
--------------	-----------------	----------



- Shock cooling cycle kg / min (+3 ° C): 25 / 90
- Shock freeze cycle kg / min (-18 ° C): 15 / 240
- Maximum device temperature [°C]: -40
- Probe: 4-points
- Insulation thickness [mm]: 80
- Control type: Touchscreen
- Display size: 9"
- User programmable cycles: Yes, with save options
- Thaving cycle: Yes
- Proving cycle: Yes

<b>SAP Code</b>	00010704	<b>Number of GN / EN</b>	5
<b>Net Width [mm]</b>	790	<b>GN / EN size in device</b>	GN 1/1
<b>Net Depth [mm]</b>	839	<b>GN device depth</b>	65
<b>Net Height [mm]</b>	847	<b>Shock cooling cycle kg / min (+3 ° C)</b>	25 / 90
<b>Net Weight [kg]</b>	100.00	<b>Shock freeze cycle kg / min (-18 ° C)</b>	15 / 240
<b>Power electric [kW]</b>	0.578	<b>Control type</b>	Touchscreen
<b>Loading</b>	230 V / 1N - 50 Hz		

# Technical data sheet

Technical drawing




Multifunctional kitchen appliance INFINITY 5x GN 1/1

Model

SAP Code

00010704



# Technical data sheet

## Product benefits



### Multifunctional kitchen appliance INFINITY 5x GN 1/1

Model

SAP Code

00010704

1

#### 6 in 1

can replace 6 devices (fridge, freezer, shocker, hotbox, kitchen, oven)

- saves space, time, energy and the cost of additional equipment due to the enormous variability

2

#### Stainless steel body and interior

endurance  
hygiene

- thanks to the all-stainless steel construction it is very easy to maintain and thus saves costs

3

#### Monitoring of HACCP parameters

easy registration of all necessary parameters

- hassle-free proof of proper food handling in the event of an inspection

4

#### Preset cycles

very simple and intuitive operation

- operation can be handled by less qualified operators

5

#### Slow cooking

better taste  
less weight loss during cooking

- saves costs due to less weight loss

6

#### Multipoint probe

precise monitoring of the cooling/freezing/  
cooking temperature

- the probe makes it easier to ensure food safety
- saves energy and time due to the end of cooling/freezing/cooking when temperature is reached

7

#### Thawing

readiness of frozen food for processing on time

- time saving
- controlled food handling

8

#### Cooking during the night

the possibility to preset entire program cycles and run them overnight unattended

- saving equipment capacity during the day
- saving of human capacity and time due to unattended operation of the equipment overnight

# Technical data sheet

Technical parameters



## Multifunctional kitchen appliance INFINITY 5x GN 1/1

Model	SAP Code	00010704
-------	----------	----------

**1. SAP Code:**

00010704

**2. Net Width [mm]:**

790

**3. Net Depth [mm]:**

839

**4. Net Height [mm]:**

847

**5. Net Weight [kg]:**

100.00

**6. Gross Width [mm]:**

846

**7. Gross depth [mm]:**

860

**8. Gross Height [mm]:**

980

**9. Gross Weight [kg]:**

116.60

**10. Device type:**

Electric unit

**11. Material:**

Stainless steel

**12. Device color:**

Stainless steel

**13. Opening of device:**

Hinges on the left

**14. Power electric [kW]:**

0.578

**15. Loading:**

230 V / 1N - 50 Hz

**16. Control type:**

Touchscreen

**17. Display size:**

9"

**18. Refrigerant:**

R452a

**19. Number of GN / EN:**

5

**20. GN / EN size in device:**

GN 1/1

**21. GN device depth:**

65

**22. Maximum device temperature [°C]:**

-40

**23. Shock freeze cycle kg / min (-18 ° C):**

15 / 240

**24. Shock cooling cycle kg / min (+3 ° C):**

25 / 90

**25. Insulation thickness [mm]:**

80

**26. Long-term cooling function:**

Yes

**27. Longterm freezing function:**

Yes

**28. Number of fans:**

1

# Technical data sheet

Technical parameters



## Multifunctional kitchen appliance INFINITY 5x GN 1/1

Model

SAP Code

00010704

### 29. Probe:

4-points

### 37. Proving cycle:

Yes

### 30. Self-diagnostics:

Yes

### 38. Automatic defrost:

Yes

### 31. HACCP:

Yes

### 39. Adjustable feet:

Yes

### 32. Low temperature heat treatment:

Yes

### 40. User programmable cycles:

Yes, with save options

### 33. Low temperature cooking span:

52 - 85°C

### 41. USB port:

Yes, for HACCP and firmware update

### 34. Delta T heat preparation:

Yes

### 42. Castors:

Optional

### 35. Delayed start:

Yes

### 43. Real time monitoring parameters:

Energy consumption, Chamber temperature, Probe temperature, Graph with the course of temperature and consumption

### 36. Thaving cycle:

Yes