

# Technical data sheet

## Product features



### Tilting bratt pan manual gas 80 l steel compound bottom

<b>Model</b>	<b>SAP Code</b>	00000123
--------------	-----------------	----------



- Bottom material: Steel - suitable for frying
- Bottom thickness: 12.00
- Basin volume [l]: 80
- Usable volume [l]: 80
- Ignition: Piezo+večný plamen
- Tilting: Manual
- Filling: Mechanical cock
- Type of pan: Tilting
- Protection of controls: IPX4
- Basin dimensions [mm x mm x mm]: 720 x 560 x 225

<b>SAP Code</b>	00000123	<b>Type of gas</b>	Natural gas, propane butane
<b>Net Width [mm]</b>	800	<b>Bottom material</b>	Steel - suitable for frying
<b>Net Depth [mm]</b>	900	<b>Basin volume [l]</b>	80
<b>Net Height [mm]</b>	900	<b>Usable volume [l]</b>	80
<b>Net Weight [kg]</b>	155.00	<b>Tilting</b>	Manual
<b>Power gas [kW]</b>	22.000		

# Technical data sheet

## Product benefits



### Tilting bratt pan manual gas 80 l steel compound bottom

Model

SAP Code

00000123

1

#### Manual folding system

maintenance-free system  
equipped with a spring for convenient tilting  
long life

- savings on service interventions
- easier and faster operation

2

#### Degree of protection of the control elements IPX4

maintenance-free system  
resistance to splash water  
long life

- savings on service interventions
- easy cleaning and maintenance of equipment

3

#### All-stainless design

the material does not cut  
wear resistance of the material  
long life

- savings on service interventions
- easy cleaning and maintenance of equipment

4

#### Efficient distribution of heating elements

perfect heat distribution including corners  
fast heating

- saving time when cooking
- saving energy
- long service life

5

#### Steel bottom

hot water steel bottom

- even heat distribution
- high durability
- long service life
- suitable for frying and toasting

# Technical data sheet

Technical parameters



## Tilting bratt pan manual gas 80 l steel compound bottom

**Model**

**SAP Code**

00000123

**1. SAP Code:**

00000123

**2. Net Width [mm]:**

800

**3. Net Depth [mm]:**

900

**4. Net Height [mm]:**

900

**5. Net Weight [kg]:**

155.00

**6. Gross Width [mm]:**

950

**7. Gross depth [mm]:**

840

**8. Gross Height [mm]:**

1050

**9. Gross Weight [kg]:**

165.00

**10. Device type:**

Gas unit

**11. Construction type of device:**

Stationary

**12. Power gas [kW]:**

22.000

**13. Ignition:**

Piezo+večný plamen

**14. Type of gas:**

Natural gas, propane butane

**15. Protection of controls:**

IPX4

**16. Device color:**

Stainless steel

**17. Material:**

AISI 304

**18. Indicators:**

operation and warm-up

**19. Worktop type:**

Molded - comfortable cleaning maintenance

**20. Basin volume [l]:**

80

**21. Basin dimensions [mm x mm x mm]:**

720 x 560 x 225

**22. Maximum device temperature [°C]:**

300

**23. Minimum device temperature [°C]:**

50

**24. Safety thermocouple:**

Yes

**25. Adjustable feet:**

Yes

**26. Tilting:**

Manual

**27. Bottom thickness:**

12.00

**28. Bottom material:**

Steel - suitable for frying

# Technical data sheet

Technical parameters



## Tilting bratt pan manual gas 80 l steel compound bottom

**Model**

**SAP Code**

00000123

### 29. Type of pan:

Tilting

### 31. Filling:

Mechanical cock

### 30. Usable volume [l]:

80

### 32. Water filling type:

Cold