

# Technical data sheet

Product features



## Food display island chilled GN 4-1/1 - 200 mm, Wenge

|              |                 |          |
|--------------|-----------------|----------|
| <b>Model</b> | <b>SAP Code</b> | 00012195 |
|--------------|-----------------|----------|



- Buffet type: GREEN
- Device properties: Chilled
- Number of GN / EN: 4
- GN / EN size in device: GN 1/1
- GN device depth: 200
- Minimum device temperature [°C]: 4
- Maximum device temperature [°C]: 8

|                            |          |                                        |                    |
|----------------------------|----------|----------------------------------------|--------------------|
| <b>SAP Code</b>            | 00012195 | <b>Loading</b>                         | 230 V / 1N - 50 Hz |
| <b>Net Width [mm]</b>      | 1494     | <b>Number of GN / EN</b>               | 4                  |
| <b>Net Depth [mm]</b>      | 650      | <b>GN / EN size in device</b>          | GN 1/1             |
| <b>Net Height [mm]</b>     | 1488     | <b>GN device depth</b>                 | 200                |
| <b>Net Weight [kg]</b>     | 136.00   | <b>Minimum device temperature [°C]</b> | 4                  |
| <b>Power electric [kW]</b> | 0.247    | <b>Maximum device temperature [°C]</b> | 8                  |

# Technical data sheet



Technical drawing




Food display island chilled GN 4-1/1 - 200 mm, Wenge

|              |                 |          |
|--------------|-----------------|----------|
| <b>Model</b> | <b>SAP Code</b> | 00012195 |
|--------------|-----------------|----------|

A= ELECTRICAL CONNECTION  
 D= WATER DISCHARGE Ø14  
 E= GAS CONNECTION Ø6 Ø8



| GN  | L    |
|-----|------|
| 3/1 | 1169 |
| 4/1 | 1494 |
| 6/1 | 2144 |



# Technical data sheet

## Product benefits



### Food display island chilled GN 4-1/1 - 200 mm, Wenge

Model

SAP Code

00012195

1

#### Static cooling

simultaneous use of direct injection and boiler, maintenance of 100% humidity, or its regulation

- less drying of food
- more economical

2

#### Breathing screen with electric drive

the possibility of easily covering the food

- higher hygienic safety
- ease of use
- attractiveness

3

#### LED lighting

minimal energy consumption

- economical lighting
- attractive appearance

4

#### Removable evaporator filter

easy disassembly

- time saving for cleaning

5

#### All-stainless steel construction

harmless to health for contact with food  
robustness

- perfect sanitation
- long service life

6

#### Rounded corners

basins without sharp edges and corners

- higher hygienic safety
- time saving due to easy cleaning

7

#### GN insertion up to 2mm

variability of use

- possibility of cooling different types of food and larger volumes
- saving time, space, costs

8

#### Travel wheels

portable buffet table

- greater flexibility in dispensing
- possibility of use at banquets
- easier and safer handling

9

#### Breathing galley with trigger

galerka made of hygienic Plexiglas with motorized displacement

- hygienic food protection
- the possibility of sealing before dispensing - extending the shelf life of food

# Technical data sheet

Technical parameters



## Food display island chilled GN 4-1/1 - 200 mm, Wenge

Model

SAP Code

00012195

**1. SAP Code:**

00012195

**2. Net Width [mm]:**

1494

**3. Net Depth [mm]:**

650

**4. Net Height [mm]:**

1488

**5. Net Weight [kg]:**

136.00

**6. Gross Width [mm]:**

1558

**7. Gross depth [mm]:**

714

**8. Gross Height [mm]:**

1595

**9. Gross Weight [kg]:**

153.70

**10. Device type:**

Electric unit

**11. Material:**

Stainless steel

**12. Buffet type:**

GREEN

**13. Device properties:**

Chilled

**14. Exterior color of the device:**

Wenge

**15. Power electric [kW]:**

0.247

**16. Loading:**

230 V / 1N - 50 Hz

**17. Number of GN / EN:**

4

**18. GN / EN size in device:**

GN 1/1

**19. GN device depth:**

200

**20. Minimum device temperature [°C]:**

4

**21. Maximum device temperature [°C]:**

8