



Cooking range solid top gas with static gas oven GN 2/1 - 1x burner

Model SAP Code 00004684



- Device type: Gas unit
- Power consumption of the zone 1 [kW]: 12
- Ignition: Piezo+večný plamen
- Type of internal part of the appliance 1 (eg oven): Gas
- Type of internal part of the appliance 2 (eg oven): Static
- Protection of controls: IPX5
- Material: AISI 304


SAP Code	00004684	Power consumption of the zone 1 [kW]	12
Net Width [mm]	800	Type of internal part of the appliance 1 (eg oven)	Gas
Net Depth [mm]	900	Type of internal part of the appliance 2 (eg oven)	Static
Net Height [mm]	900	Width of internal part [mm]	680
Net Weight [kg]	178.00	Depth of internal part [mm]	730
Power gas [kW]	20.500	Height of internal part [mm]	340
Type of gas	Natural gas, propane butane	Solid top dimensions [mm x mm]	770 x 730
Number of zones	1		




Technical drawing

Cooking range solid top gas with static gas oven GN 2/1 - 1x burner

Model SAP Code 00004684





Α	Data plate		C	Gas connection	ISO 7-1 3/4" M
---	------------	--	---	----------------	----------------

Product benefits



Cooking range solid top gas with static gas oven GN 2/1 - 1x burner

Model SAP Code 00004684

1

Massive construction of burners

high performance and efficiency brass burners removable eternal flame long life demountable

- energy saving (perfect combustion)
- time saving for food preparation
- easy maintenance/cleaning

2

Hygienic moldings of the top plate

absence of sharp corners and edges (potential places where dirt could stick) smooth transitions

- easy quick cleaning

3

Degree of protection of the control elements IPX5

maintenance-free system resistance to splash water long life

- savings on service interventions
- easy cleaning and maintenance of equipment

4

All-stainless design

the material does not cut wear resistance of the material long life

- savings on service interventions
- easy cleaning and maintenance of equipment

5

Safety element - thermocouple

safe operation for personnel there is no overheating and damage to the thallus long life

- savings on service interventions
- easier and faster operation

6

Piezoelectric ignition

instant flame ignition there is no unnecessary gas leakage long life

- savings on service interventions
- easier and faster operation

Massive thal

15mm material ensures even distribution of heat and heating of the product (heat several pots at the same time at the same temperature) material resistance long life

- time saving
- ease of operation
- savings on service interventions

8

Large electric oven with four positions for racks with static cooking

static baking high capacity and variability all-stainless design

- suitable for yeast dishes and desserts
- long service life
- easy to clean

tel.: +420 381 582 284 e-mail: rmgastro@rmgastro.com web: www.rmgastro.com

et



Technical parameters

Model	SAP Code 000046	84
1. SAP Code: 00004684	15. Prote	ection of controls:
2. Net Width [mm]: 800	16. Devi e	ce color: less steel
3. Net Depth [mm]: 900	17. Mate	
4. Net Height [mm]: 900		ctop type: ed - comfortable cleaning maintenance
5. Net Weight [kg]: 178.00	19. Work AISI 3	ctop material: 104
6. Gross Width [mm]: 830	20. Work 2.00	ctop Thickness [mm]:
7. Gross depth [mm]: 970	21. Num	ber of zones:
8. Gross Height [mm]:	22. Powe	er consumption of the zone 1 [kW]:
9. Gross Weight [kg]: 194.00	23. Num	ber of power control stages:
0. Device type: Gas unit	24. Grid Cast i	material: iron
Construction type of device: With substructure	From	ice accessibility: the front by removing the front panel and waste containers
2. Power gas [kW]: 20.500	26. Safet Yes	ty thermocouple:
3. Ignition: Piezo+večný plamen	27. Safet 360	ty thermostat up to x ° C:
. – .		

14. Type of gas:

Natural gas, propane butane

28. Adjustable feet:

Yes



Technical parameters

Cooking range solid top gas with static gas oven GN 2/1	- 1x burner		
Model SAP Code	00004684		
29. Number of burners/hot plates:	38. Height of internal part [mm]:		
80. Type of gas cooking zones: Thales	39. Gasket: Yes		
31. Oven Type: gas static	40. Maximum temperature of the inner chamber [°C]:		
82. Oven size: GN 2/1	41. Minimum temperature of the inner chamber [°C]:		
33. Oven material: Stainless steel	42. Inner ignition: Piezoelectric		
34. Type of internal part of the appliance 1 (eg oven): Gas	43. Number of internal parts:		
35. Type of internal part of the appliance 2 (eg oven): Static	44. Solid top thickness [mm]: 15		
86. Width of internal part [mm]: 680	45. Solid top dimensions [mm x mm]: 770 × 730		
37. Depth of internal part [mm]:	46. Solid top ignition:		

Piezo + Eternal Flame

730