Product features




Pizza oven 2 chambers 12x d=33 cm					
Model	SAP Code	00006149			
		 Pizza capacity [cm]: 12x 33 cm Stoneplates: Lower Stone plates thickness [mm]: 14 Material: Stainless steel Control type: Mechanical Type of handle: Short, plastic Steam protection: Yes Independent heating zones: Sepa each chamber Chimney for moisture extraction: Adjustable chimney: Yes Interior lighting: Yes 			
SAP Code	00006149	Minimum device tem- perature [°C]	50		
Net Width [mm]	975	Maximum device tem- perature [°C]	450		
Net Depth [mm]	1185	Width of internal part [mm]	700		
Net Height [mm]	763	Depth of internal part [mm]	1050		
Net Weight [kg]	178.00	Height of internal part [mm]	150		
Power electric [kW]	14.400	Pizza capacity [cm]	12x 33 cm		

Loading

400 V / 3N - 50 Hz

Technical drawing



REDFOX



Product benefits



Pizza oven 2 chambers 12x d=33 cm				
Model		SAP Code	00006149	
1	Manual controls - Set valu clear and simple user-friendly te – quick and easy for the user required for operationlong	emperature settings to operate, no training		
2	Chamber heating in the temperature range of 50 to 450°C the temperature range enables the preparation of various types of dough and meat; can also be used for baking - we have a crispy pizza in a short time - I can make a pizza according to the dough, the customer does not wait long and the operator serves multiple customers - multiple turns in one oven			
3	Fireclay plate 14mm place under the plate proper accumulation and unifor - no scorching and the pizza does not burn, no tempera need for the cook to check lower demands on the kno the pizza maker	rmity of heat distribution is evenly cooked and ture fluctuation, no and adjust the baking,		
4	Glass set in the door checking the product during he having to open the door - I don't lose temperature wh unnecessarily opening the saving energy	nen baking by		
5	2x thermostat, separate of lower heaters more precise regulation of heat to the type of dough or food – better final quality of the pr variability - suitable for diffe comfort for the experienced professionals	in the chamber, according roduct; no burning, erent treatments, better		
6	Analog thermometer mea temperature in the chamb certainty of the set temperature set correctly and that the device – I am aware of and can reac required temperatures	, I will check whether it is works correctly for me		

Technical parameters



Pizza oven 2 chambers 12x d=33 cr	n	
Model	SAP Code	00006149
1. SAP Code: 00006149		15. Width of internal part [mm]: 700
2. Net Width [mm]: 975		16. Depth of internal part [mm]: 1050
3. Net Depth [mm]: 1185		17. Height of internal part [mm]: 150
4. Net Height [mm]: 763		18. Minimum device temperature [°C]: 50
5. Net Weight [kg]: 178.00		19. Maximum device temperature [°C]: 450
6. Gross Width [mm]: 1290		20. Pizza capacity [cm]: 12x 33 cm
7. Gross depth [mm]: 1020		21. Thermometer: Analog
8. Gross Height [mm]: 810		22. Indicators: operation
9. Gross Weight [kg]: 180.00		23. Number of internal parts: 12
10. Material: Stainless steel		24. On/Off button: Yes
11. Device type: Electric unit		25. Type of handle: Short, plastic
12. Power electric [kW]: 14.400		26. Steam protection: Yes
13. Loading: 400 V / 3N - 50 Hz		27. Protection of controls: IPX4
14. Control type: Mechanical		28. Stoneplates: Lower

Technical parameters



Pizza oven 2 chambers 12x d=33 cm				
Model	SAP Code	00006149		
29. Stone plates thickness [mm]:		33. Number of cavities:		
30. Independent heating zones: Separate control for each chamber		34. Chimney for moisture extraction: Yes		
31. Interior lighting: Yes		35. Adjustable chimney: Yes		
32. Safety element: safety thermostat				

tel.: +420 381 582 284 e-mail: rmgastro@rmgastro.com web: www.rmgastro.com