

Technical data sheet

Product features



Pasta cooker electric 25 l with cabinet 400 V

Model	SAP Code	00000360
-------	----------	----------



- Basin volume [l]: 25
- Water inlet: mechanical tap
- Drain type: Trough the cabinet
- Drain: Yes
- Material: Stainless steel
- Protection of controls: IPX5
- Maximum device temperature [°C]: 110

SAP Code	00000360	Basin volume [l]	25
Net Width [mm]	400	Width of internal part [mm]	305
Net Depth [mm]	705	Depth of internal part [mm]	335
Net Height [mm]	900	Height of internal part [mm]	327
Net Weight [kg]	38.00	Number of GN / EN	1
Power electric [kW]	7.800	GN / EN size in device	GN 2/3
Loading	400 V / 3N - 50 Hz		

Technical data sheet

Technical drawing




Pasta cooker electric 25 l with cabinet 400 V

Model

SAP Code

00000360



A	Data plate		B	Electrical connection	
D	Cold water connection	ISO 7-1 3/4" M	E	Water drainage	ISO 7-1 1" M

Technical data sheet

Product benefits



Pasta cooker electric 25 l with cabinet 400 V

Model

SAP Code

00000360

1

All-stainless steel bathtub

long life
resistance of AISI 304 stainless steel material
the material does not cut

- savings on service interventions
- easier and faster operation

2

Degree of protection of the control elements IPX5

maintenance-free system
resistance to splash water
long life

- savings on service interventions
- easy cleaning and maintenance of equipment

3

Pressure switch microswitch

microswitch preventing the device from running when there is no water in the bath

- prevents destruction of the equipment by overheating

4

Rotating heating element

longer lifetime
easy access

- effective cleaning when the body is tipped out
- easy access even to corners and time saving

5

Outlet to a removable collector in the substructure with the option of connecting directly to the waste

draining the bath into a prepared container or into the waste

- easy and safe handling
- easier cleaning of the cooking vessel

6

Integrated filling of the water bath

filling valve directly above the cooking vessel

- possibility of adding water during cooking
- easier cleaning

Technical data sheet

Technical parameters



Pasta cooker electric 25 l with cabinet 400 V

Model

SAP Code

00000360

1. SAP Code:

00000360

2. Article group:

Pasta cookers

3. Net Width [mm]:

400

4. Net Depth [mm]:

705

5. Net Height [mm]:

900

6. Net Weight [kg]:

38.00

7. Gross Width [mm]:

430

8. Gross depth [mm]:

770

9. Gross Height [mm]:

1110

10. Gross Weight [kg]:

48.00

11. Device type:

Electric unit

12. Construction type of device:

With substructure

13. Power electric [kW]:

7.800

14. Loading:

400 V / 3N - 50 Hz

15. Protection of controls:

IPX5

16. Material:

Stainless steel

17. Indicators:

operation and warm-up

18. Drain valve diameter:

1"

19. Worktop type:

Molded - comfortable cleaning maintenance

20. Standard equipment for device:

the door is part of the device

21. Basin volume [l]:

25

22. Basin dimensions [mm x mm x mm]:

305 x 335 x 327

23. Maximum device temperature [°C]:

110

24. Minimum device temperature [°C]:

30

25. Power control type:

knob control

26. Service accessibility:

Trough the frontal panel

Technical data sheet

Technical parameters



Pasta cooker electric 25 l with cabinet 400 V

Model

SAP Code

00000360

27. Safety element:

safety thermostat
microswitch preventing the device from running when
there is no water in the bath
overflow channel

28. Safety thermostat:

Yes

29. Adjustable feet:

Yes

30. Additional information:

basket is not included in the package possibility to buy
baskets in different sizes

31. Number of basins:

1

32. Basin material:

AISI 316 - Stainless steel highly resistant to salt water

33. Heating element construction:

rotatable heating element

34. Water inlet:

mechanical tap

35. Drain type:

Trough the cabinet

36. Drain:

Yes

37. Number of GN / EN:

1

38. GN / EN size in device:

GN 2/3

39. Drain connection:

Yes

40. Width of internal part [mm]:

305

41. Depth of internal part [mm]:

335

42. Height of internal part [mm]:

327

43. Image for addition:

1DD54373-93AA-44F3-BC58-3F4A65F46B6A