

# Technical data sheet

## Product features



### Fry-top griddle plate combined

<b>Model</b>	<b>SAP Code</b>	00013651
--------------	-----------------	----------



- Top type: Combined
- Griddle dimensions [mm x mm]: 1105 x 650
- Griddle thickness [mm]: 14.00
- Worktop material: Stainless steel
- Container for liquid fat: Yes
- Maximum device temperature [°C]: 300
- Removable rim: Yes

<b>SAP Code</b>	00013651	<b>Power electric [kW]</b>	22.500
<b>Net Width [mm]</b>	1200	<b>Loading</b>	400 V / 3N - 50 Hz
<b>Net Depth [mm]</b>	900	<b>Griddle dimensions [mm x mm]</b>	1105 x 650
<b>Net Height [mm]</b>	280	<b>Top type</b>	Combined
<b>Net Weight [kg]</b>	151.00	<b>Worktop type</b>	Molded - comfortable cleaning maintenance



# Technical data sheet

Technical parameters



## Fry-top griddle plate combined

<b>Model</b>	<b>SAP Code</b>	00013651
--------------	-----------------	----------

**1. SAP Code:**

00013651

**2. Net Width [mm]:**

1200

**3. Net Depth [mm]:**

900

**4. Net Height [mm]:**

280

**5. Net Weight [kg]:**

151.00

**6. Gross Width [mm]:**

1230

**7. Gross depth [mm]:**

970

**8. Gross Height [mm]:**

540

**9. Gross Weight [kg]:**

161.00

**10. Device type:**

Electric unit

**11. Construction type of device:**

Table top

**12. Power electric [kW]:**

22.500

**13. Loading:**

400 V / 3N - 50 Hz

**14. Protection of controls:**

IPX5

**15. Device color:**

Stainless steel

**16. Material:**

AISI 304

**17. Indicators:**

operation and warm-up

**18. Worktop type:**

Molded - comfortable cleaning maintenance

**19. Worktop material:**

Stainless steel

**20. Maximum device temperature [°C]:**

300

**21. Minimum device temperature [°C]:**

50

**22. Safety thermostat:**

Yes

**23. Adjustable feet:**

Yes

**24. Griddle dimensions [mm x mm]:**

1105 x 650

**25. Griddle thickness [mm]:**

14.00

**26. Container for liquid fat:**

Yes

**27. Removable device container:**

Yes

**28. Removable rim:**

Yes

# Technical data sheet

Technical parameters



## Fry-top griddle plate combined

Model	SAP Code	
		00013651

### 29. Uniform heating:

Yes

### 30. Top type:

Combinated