

#### **Product features**

Slicer,	blade	300	mm	teflon
---------	-------	-----	----	--------

Model

**SAP Code** 

00020275

- Blade type: Teflon

- Blade diameter [mm]: 300

- Cutting thickness [mm]: 1-14

- Transfer type: Strappy

– Material: Aluminium

- Safety cover: transparent plexiglass

- Safety element: Two buttons on off switch.

safety cover

- Table position: Oblique

- On/Off button: Yes

SAP Code	00020275	Power electric [kW]	0.180
Net Width [mm]	470	Loading	230 V / 1N - 50 Hz
Net Depth [mm]	570	Blade type	Teflon
Net Height [mm]	470	Blade diameter [mm]	300
Net Weight [kg]	23.00	Cutting thickness [mm]	1-14



**Product benefits** 

Slicer, blade 300 mm teflon		
Model	SAP Code	00020275

The slicer is built with polished cast aluminum.

strength, high corrosion resistance, thermal conductivity  $% \left( \frac{1}{2}\right) =\frac{1}{2}\left( \frac{1}{2}\right) \left( \frac{1}{2}\right)$ 

- longer service life of the cutting machine

Very sturdy and easy to use and clean with little maintenance.

easy to use and clean

- time savings

Excellent for cutting meats, vegetables and cheeses.

variability of use for different foods

- cost savings

The blade is made in non sticking steel with special grooves.

the food does not stick, the flow of work

- time saving, uncomplicated work

Fixed sharpening with bowl to maintain stones clean from food residues.

the possibility of sharpening the knife without adding a sharpener

- saving time, manpower, costs

Sliding carriage on teflon bushings with an heavy duty food holder with removable nails for easy cleaning.

fluidity of work, easy cleaning

- saving human labor, time

Removing carriage with block sail according to security rules.

the food cart can be removed

- higher safety, easy cleaning

Strong fan silenced professional motor.

lower noise

- health protection

Two buttons on off switch.

safety feature

- health protection, safety

The slicer was designed and manufactured according to international standards for safety, hygiene and food contact.

meets strict safety and hygiene standards

- higher safety, hygiene

Slicing thickness 0-14 mm.
variability of the thickness of the sliced product

cost savings

12

According to the CE rules professional use.

use in highly specialized and professional operations

professional product - prestige



#### Technical parameters

Slicer, blade 300 mm teflon				
Model	SAP Code	00020275		
1. SAP Code:		14. Power electric [kW]:		
00020275		0.180		
2. Article group:		15. Loading:		
RF- Slicers		230 V / 1N - 50 Hz		
<b>3. Net Width [mm]:</b> 470		<b>16. Control type:</b> Electric		
<b>4. Net Depth [mm]:</b> 570		17. Safety cover: transparent plexiglass		
5. Net Height [mm]:		18. Safety element:		
470		Two buttons on off switch.		
		safety cover		
C. Not Weight [Ize].		19. Main switch:		
<b>6. Net Weight [kg]:</b> 23.00		Yes		
7. Gross Width [mm]:		20. Transfer type:		
520		Strappy ———————————————————————————————————		
8. Gross depth [mm]:		21. Standard equipment for device: whetstone		
9. Gross Height [mm]: 500		<b>22. Additional information:</b> Noise N. 62 DB		
10. Gross Weight [kg]:		23. Blade type:		
26.00		Teflon ————————————————————————————————————		
<b>11. Device type:</b> Electric unit		<b>24. Blade diameter [mm]:</b> 300		
<b>12. Material:</b> Aluminium		<b>25. On/Off button:</b> Yes		
13. Device color:		26. Removable moving table:		

Yes

Grey



#### Technical parameters

Slicer, blade 300 mm tefl	on		
Model	SAP Code	00020275	
27. Anti-adhesive blade tre	eatment:	30. Sharpening device:  Integrated	
28. Table position: Oblique		31. Cutting thickness [mm]: 1-14	

29. Blade cover material:

Plastic