

# Technical data sheet

## Product features



### Pasta cooker gas 25 + 25 l with cabinet

<b>Model</b>	<b>SAP Code</b>	00000363
--------------	-----------------	----------



- Basin volume [l]: 25
- Water inlet: mechanical tap
- Drain type: Trough the cabinet
- Drain: Yes
- Material: Stainless steel
- Protection of controls: IPX5
- Ignition: Electric + Eternal Flame

<b>SAP Code</b>	00000363	<b>Type of gas</b>	Natural gas, propane butane
<b>Net Width [mm]</b>	800	<b>Basin volume [l]</b>	25
<b>Net Depth [mm]</b>	705	<b>Width of internal part [mm]</b>	305
<b>Net Height [mm]</b>	900	<b>Depth of internal part [mm]</b>	335
<b>Net Weight [kg]</b>	88.00	<b>Height of internal part [mm]</b>	327
<b>Loading</b>	230 V / 1N - 50 Hz	<b>Number of GN / EN</b>	2
<b>Power gas [kW]</b>	19.000	<b>GN / EN size in device</b>	GN 2/3



# Technical data sheet

## Product benefits



### Pasta cooker gas 25 + 25 l with cabinet

Model

SAP Code

00000363

1

#### All-stainless steel bathtub

long life  
resistance of AISI 304 stainless steel material  
the material does not cut

- savings on service interventions
- easier and faster operation

2

#### Degree of protection of the control elements IPX5

maintenance-free system  
resistance to splash water  
long life

- savings on service interventions
- easy cleaning and maintenance of equipment

3

#### Pressure switch microswitch

microswitch preventing the device from running when there is no water in the bath

- prevents destruction of the equipment by overheating

4

#### Safety element "thermocouple"

safe service for staff  
there is no unnecessary gas leakage  
long life

- savings on service interventions
- easier and faster operation

5

#### Outlet to a removable collector in the substructure with the option of connecting directly to the waste

draining the bath into a prepared container or into the waste

- easy and safe handling
- easier cleaning of the cooking vessel

6

#### Integrated filling of the water bath

filling valve directly above the cooking vessel

- possibility of adding water during cooking
- easier cleaning

# Technical data sheet

## Technical parameters



### Pasta cooker gas 25 + 25 l with cabinet

**Model**

**SAP Code**

00000363

**1. SAP Code:**

00000363

**2. Net Width [mm]:**

800

**3. Net Depth [mm]:**

705

**4. Net Height [mm]:**

900

**5. Net Weight [kg]:**

88.00

**6. Gross Width [mm]:**

830

**7. Gross depth [mm]:**

770

**8. Gross Height [mm]:**

1110

**9. Gross Weight [kg]:**

103.00

**10. Device type:**

Gas unit

**11. Construction type of device:**

With substructure

**12. Loading:**

230 V / 1N - 50 Hz

**13. Power gas [kW]:**

19.000

**14. Ignition:**

Electric + Eternal Flame

- Elektrick  + v n  plamen

**15. Type of gas:**

Natural gas, propane butane

**16. Protection of controls:**

IPX5

**17. Material:**

Stainless steel

**18. Indicators:**

operation and warm-up

**19. Drain valve diameter:**

1 

**20. Worktop type:**

Molded - comfortable cleaning maintenance

**21. Standard equipment for device:**

the door is part of the device

**22. Basin volume [l]:**

25

**23. Basin dimensions [mm x mm x mm]:**

305 x 335 x 327

**24. Power control type:**

thermostat

**25. Service accessibility:**

Trough the frontal panel

**26. Safety element:**

safety thermostat

microswitch preventing the device from running when

there is no water in the bath

overflow channel

# Technical data sheet

Technical parameters



## Pasta cooker gas 25 + 25 l with cabinet

Model

SAP Code

00000363

### 27. Safety thermocouple:

Yes

### 28. Safety thermostat:

Yes

### 29. Adjustable feet:

Yes

### 30. Additional information:

basket is not included in the package possibility to buy baskets in different sizes

### 31. Number of basins:

2

### 32. Basin material:

AISI 316 - Stainless steel highly resistant to salt water

### 33. Heating element construction:

rotatable heating element

### 34. Water inlet:

mechanical tap

### 35. Drain type:

Trough the cabinet

### 36. Drain:

Yes

### 37. Number of GN / EN:

2

### 38. GN / EN size in device:

GN 2/3

### 39. Drain connection:

Yes

### 40. Width of internal part [mm]:

305

### 41. Depth of internal part [mm]:

335

### 42. Height of internal part [mm]:

327

### 43. Image for addition:

1DD54373-93AA-44F3-BC58-3F4A65F46B6A