

# Technical data sheet



## Product features

### Hot dog roller grill roller 8 rollers

<b>Model</b>	<b>SAP Code</b>	00000407
--------------	-----------------	----------

- Material: Stainless steel
- Indicators: operation and warm-up
- Minimum device temperature [°C]: 80
- Maximum device temperature [°C]: 300
- Number of internal parts: 8
- Tubes length [mm]: 320

<b>SAP Code</b>	00000407	<b>Power electric [kW]</b>	1.800
<b>Net Width [mm]</b>	460	<b>Loading</b>	230 V / 1N - 50 Hz
<b>Net Depth [mm]</b>	350	<b>Number of internal parts</b>	8
<b>Net Height [mm]</b>	200	<b>Minimum device temperature [°C]</b>	80
<b>Net Weight [kg]</b>	11.00	<b>Maximum device temperature [°C]</b>	300

# Technical data sheet



## Product benefits

### Hot dog roller grill roller 8 rollers

<b>Model</b>	<b>SAP Code</b>	00000407
--------------	-----------------	----------

1

#### All-stainless design

only stainless steel intended for food contact is used

- absolutely rust-proof and non-magnetic design
- resists even weak acids easier compliance with hygiene standards (HACCP); easy maintenance and cleaning

2

#### Run and warm-up light

optical possibility to check the status of the device

- the operator immediately knows the on/off, heating/ non-heating state of the appliance

3

#### Positionable power switch

adjustable roll rotation

- Ideal toasting of sausages according to the customer's wishes

4

#### Encapsulated heaters inside the roll

no-bake rolls  
uniform heating of the roll

- better output quality of sausages

# Technical data sheet



## Technical parameters

### Hot dog roller grill roller 8 rollers

<b>Model</b>	<b>SAP Code</b>	00000407
--------------	-----------------	----------

**1. SAP Code:**

00000407

**12. Material:**

Stainless steel

**2. Net Width [mm]:**

460

**13. Power electric [kW]:**

1.800

**3. Net Depth [mm]:**

350

**14. Loading:**

230 V / 1N - 50 Hz

**4. Net Height [mm]:**

200

**15. Minimum device temperature [°C]:**

80

**5. Net Weight [kg]:**

11.00

**16. Maximum device temperature [°C]:**

300

**6. Gross Width [mm]:**

400

**17. Protection of controls:**

IPX4

**7. Gross depth [mm]:**

510

**18. Number of internal parts:**

8

**8. Gross Height [mm]:**

250

**19. Tubes length [mm]:**

320

**9. Gross Weight [kg]:**

12.00

**20. Number of revolutions / min:**

0

**10. Device type:**

Electric unit

**21. Indicators:**

operation and warm-up

**11. Construction type of device:**

Table top