

Product features

Pizza oven 1 chamber 9x d=33 cm

Model SAP Code 00007348




- Pizza capacity [cm]: 9x 33 cm
- Stoneplates: Lower
- Stone plates thickness [mm]: 14
- Material: Stainless steel
- Control type: Mechanical
- Type of handle: in the entire length of the door, stainless steel
- Steam protection: Yes
- Chimney for moisture extraction: Yes
- Adjustable chimney: Yes
- Interior lighting: Yes

SAP Code	00007348	Minimum device tem- perature [°C]	50
Net Width [mm]	1305	Maximum device tem- perature [°C]	450
Net Depth [mm]	1185	Width of internal part [mm]	1050
Net Height [mm]	412	Depth of internal part [mm]	1050
Net Weight [kg]	148.00	Height of internal part [mm]	150
Power electric [kW]	12.000	Pizza capacity [cm]	9x 33 cm
Loading	400 V / 3N - 50 Hz		



Technical drawing

Pizza oven 1 chamber 9x d=33 cm				
Model	SAP Code	00007348		





Product benefits

Pizza oven 1 chamber 9x d=33 cm

Model

SAP Code

00007348

1

Manual controls - Set values using rotary knobs

clear and simple user-friendly temperature settings

- quick and easy for the user to operate, no training required for operationlong service life
- 2

Chamber heating in the temperature range of 50 to 450°C

the temperature range enables the preparation of various types of dough and meat; can also be used for baking

- we have a crispy pizza in a short time I can make a pizza according to the dough, the customer does not wait long and the operator serves multiple customers - multiple turns in one oven
- 3

Fireclay plate 14mm placed below with heaters under the plate

proper accumulation and uniformity of heat distribution

- no scorching and the pizza is evenly cooked and does not burn, no temperature fluctuation, no need for the cook to check and adjust the baking, lower demands on the knowledge and skills of the pizza maker
- 4

Glass set in the door

checking the product during heat treatment without having to open the door

- I don't lose temperature when baking by unnecessarily opening the door without glass, saving energy
- 5

2x thermostat, separate control of upper and lower heaters

more precise regulation of heat in the chamber, according to the type of dough or food $\,$

- better final product quality; non-scorching, variability
 suitable for various adjustments, better comfort for the experienced cook, suitable for professionals
- 6

Analog thermometer measuring the temperature in the chamber

certainty of the set temperature, I will check whether it is set correctly and that the device works correctly for me

 I am aware of and can react to deviations from the required temperatures



Technical parameters

Pizza oven 1 chamber 9x d=33 (cm		
Model	SAP Code	00007348	
1. SAP Code: 00007348		15. Width of internal part [mm]: 1050	
2. Net Width [mm]: 1305		16. Depth of internal part [mm]:	
3. Net Depth [mm]: 1185		17. Height of internal part [mm]:	
4. Net Height [mm]: 412		18. Minimum device temperature [°C]: 50	
5. Net Weight [kg]: 148.00		19. Maximum device temperature [°C]: 450	
6. Gross Width [mm]: 1350		20. Stacking availability: Yes	
7. Gross depth [mm]: 1290		21. Pizza capacity [cm]: 9x 33 cm	
8. Gross Height [mm]: 455		22. Thermometer: Analog	
9. Gross Weight [kg]: 150.00		23. Indicators: operation	
10. Material: Stainless steel		24. Number of internal parts: 9	
11. Device type: Electric unit		25. On/Off button: Yes	
12. Power electric [kW]: 12.000		26. Type of handle: in the entire length of the door, stainless steel	
13. Loading: 400 V / 3N - 50 Hz		27. Steam protection: Yes	
14. Control type:		28. Protection of controls:	

IPX4

Mechanical



Technical parameters

Pizza oven 1 chamber 9x d=33 cm				
Model	SAP Code	00007348		
29. Stoneplates:		33. Number of cavities:		
Lower				
30. Stone plates thickness [mm]:		34. Chimney for moisture extraction: Yes		
31. Interior lighting: Yes		35. Adjustable chimney: Yes		

32. Safety element:

safety thermostat