



Cooking range solid top electric with static electric oven GN 2/1 - 4x plate 400 V

Model SAP Code 00005646



- Device type: Electric unit
- Power consumption of the zone 1 [kW]: 3,4
- Power consumption of the zone 2 [kW]: 3,4
- Power consumption of the zone 3 [kW]: 3,4
- Power consumption of the zone 4 [kW]: 3,4
- Type of internal part of the appliance 1 (eg oven): Electric
- Type of internal part of the appliance 2 (eg oven): Static
- Protection of controls: IPX5
- Material: AISI 304


SAP Code	00005646	Power consumption of the zone 2 [kW]	3,4
Net Width [mm]	800	Power consumption of the zone 3 [kW]	3,4
Net Depth [mm]	900	Power consumption of the zone 4 [kW]	3,4
Net Height [mm]	900	Type of internal part of the appliance 1 (eg oven)	Electric
Net Weight [kg]	155.00	Type of internal part of the appliance 2 (eg oven)	Static
Power electric [kW]	20.300	Width of internal part [mm]	680
Loading	400 V / 3N - 50 Hz	Depth of internal part [mm]	730
Number of zones	4	Height of internal part [mm]	340
Power consumption of the zone 1 [kW]	3,4	Solid top dimensions [mm x mm]	700 x 680




Technical drawing

Cooking range solid top electric with static electric oven GN 2/1 - 4x plate 400 V

Model SAP Code 00005646





Α	Data plate		В	Electrical connection	
---	------------	--	---	-----------------------	--

Product benefits



Cooking range solid top electric with static electric oven GN 2/1 - 4x plate 400 V

 Model
 SAP Code
 00005646

Massive thal

20mm material ensures even distribution of heat and heating of the product (heating several pots at the same time at the same temperature) material resistance long life

- saving time
- ease of use
- savings on service interventions

2

Hygienic moldings of the top plate

absence of sharp corners and edges (potential places where dirt could stick) smooth transitions

- easy quick cleaning

Degree of protection of the control elements IPX5

maintenance-free system resistance to splash water long life

- savings on service interventions
- easy cleaning and maintenance of equipment

4

All-stainless design

the material does not cut wear resistance of the material long life

- savings on service interventions
- easy cleaning and maintenance of equipment

5

Large electric oven with four positions for racks with static cooking

static baking high capacity and variability all-stainless design

- suitable for yeast dishes and desserts
- long service life
- easy to clean

6

Large electric oven with four positions for racks with static cooking

possibility of baking high capacity and variability all-stainless design

- suitable for yeast dishes and desserts
- long service life
- easy to clean



Technical parameters

Cooking range solid top electric with static electric oven GN 2/1 - 4x plate 400 V			
Model	SAP Code	00005646	
1. SAP Code:		15. Device color:	
00005646		Stainless steel	
2. Net Width [mm]: 800		16. Material: AISI 304	
3. Net Depth [mm]:		17. Worktop type:	
900		Molded - comfortable cleaning maintenance	
4. Net Height [mm]:		18. Worktop material:	
900		AISI 304	
5. Net Weight [kg]: 155.00		19. Worktop Thickness [mm]: 2.00	
6. Gross Width [mm]:		20. Number of zones:	
830		4	
7. Gross depth [mm]: 970		21. Power consumption of the zone 1 [kW]: 3,4	
8. Gross Height [mm]:		22. Power consumption of the zone 2 [kW]:	
1110		3,4	
9. Gross Weight [kg]:		23. Power consumption of the zone 3 [kW]:	
180.00			
10. Device type: Electric unit		24. Power consumption of the zone 4 [kW]: 3,4	
11. Construction type of device: With substructure		25. Maximum device temperature [°C]: 450	
		26. Minimum device temperature [°C]:	
12. Power electric [kW]: 20.300		26. Minimum device temperature [A°C]:	
13. Loading:		27. Number of power control stages:	
400 V / 3N - 50 Hz		6	

28. Service accessibility:

fluid containers

From the front by removing the front panel and waste

IPX5

14. Protection of controls:



Technical parameters

Cooking range solid top electric with static electric oven GN 2/1 - 4x plate 400 V				
Model SAP Code	00005646			
29. Safety thermostat: Yes	39. Depth of internal part [mm]: 730			
30. Safety thermostat up to x ° C: 360	40. Height of internal part [mm]: 340			
31. Adjustable feet: Yes	41. Gasket: Yes			
32. Number of burners/hot plates: 4	42. Maximum temperature of the inner chamber [°C]:			
33. Type of electric cooking zones: Squared	43. Minimum temperature of the inner chamber [°C]:			
34. Oven Type: electrical static	44. Number of internal parts:			
35. Oven size: GN 2/1	45. Solid top thickness [mm]:			
36. Type of internal part of the appliance 1 (eg oven): Electric	46. Solid top dimensions [mm x mm]: 700 × 680			
37. Type of internal part of the appliance 2 (eg oven): Static	47. Solid top ignition: Electric			

tel.: +420 381 582 284 e-mail: rmgastro@rmgastro.com web: www.rmgastro.com

38. Width of internal part [mm]:

680