

### **Product features**

#### Slicer, blade 250 mm jagged

Model

**SAP Code** 

00020265



- Blade type: Serrated

- Blade diameter [mm]: 250

- Cutting thickness [mm]: 1-14

- Transfer type: Strappy

– Material: Aluminium

- Safety cover: transparent plexiglass

- Safety element: Two buttons on off switch.

safety cover

- Table position: Oblique

- On/Off button: Yes

SAP Code	00020265	Power electric [kW]	0.180
Net Width [mm]	410	Loading	230 V / 1N - 50 Hz
Net Depth [mm]	510	Blade type	Serrated
Net Height [mm]	390	Blade diameter [mm]	250
Net Weight [kg]	13.50	Cutting thickness [mm]	1-14



#### **Product benefits**

Slicer, blade 250 mm jagged				
Model	SAP Code	00020265		

The slicer is built with polished cast aluminum.

strength, high corrosion resistance, thermal conductivity  $% \left( \frac{1}{2}\right) =\left( \frac{1}{2}\right) \left( \frac{1}$ 

- longer service life of the cutting machine

Very sturdy and easy to use and clean with little maintenance.

easy to use and clean

time savings

Excellent for cutting meats, vegetables and cheeses.

variability of use for different foods

- cost savings

The blade is made in non sticking steel with special grooves.

the food does not stick, the flow of work

- time saving, uncomplicated work

Fixed sharpening with bowl to maintain stones clean from food residues.

the possibility of sharpening the knife without adding a sharpener

- saving time, manpower, costs

Sliding carriage on teflon bushings with an heavy duty food holder with removable nails for easy cleaning.

fluidity of work, easy cleaning

- saving human labor, time

Removing carriage with block sail according to security rules.

the food cart can be removed

- higher safety, easy cleaning

Strong fan silenced professional motor.

lower noise

health protection

Two buttons on off switch.

safety feature

- health protection, safety

The slicer was designed and manufactured according to international standards for safety, hygiene and food contact.

meets strict safety and hygiene standards

- higher safety, hygiene

Slicing thickness 0-14 mm.

variability of the thickness of the sliced product  $% \left( x\right) =\left( x\right) +\left( x\right)$ 

- cost savings

According to the CE rules professional use.

use in highly specialized and professional operations

- professional product - prestige



### Technical parameters

Slicer, blade 250 mm jagged			
Model	SAP Code	00020265	
1. SAP Code:		14. Power electric [kW]:	
00020265		0.180	
2. Article group:		15. Loading:	
Slicers		230 V / 1N - 50 Hz	
<b>3. Net Width [mm]:</b> 410		<b>16. Control type:</b> Electric	
			_
<b>4. Net Depth [mm]:</b> 510		<b>17. Safety cover:</b> transparent plexiglass	
5. Net Height [mm]:		18. Safety element:	
390		Two buttons on off switch.	
		safety cover	
6. Net Weight [kg]:		19. Engine protection:	
13.50		ventilator —— ——————————————————————————————————	
<b>7. Gross Width [mm]:</b> 500		<b>20. Main switch:</b> Yes	
			_
8. Gross depth [mm]: 400		<b>21. Transfer type:</b> Strappy	
9. Gross Height [mm]:		22. Standard equipment for device:	
580		whetstone	
10. Gross Weight [kg]:		23. Additional information:	
17.30		Noise N. 62 DB	
<b>11. Device type:</b> Electric unit		<b>24. Blade type:</b> Serrated	
12. Material:		25. Plado diamotor [mm]:	
Aluminium		25. Blade diameter [mm]: 250	
13. Device color:		26. On/Off button:	
		V	

Yes

Grey



### Technical parameters

Slicer, blade 250 mm jagged			
Model	SAP Code	00020265	
<b>27. Removable moving table:</b> Yes		<b>30. Blade cover material:</b> Plastic	
28. Anti-adhesive blade treatment	•	31. Sharpening device:	
Yes	•	Integrated	
<b>29. Table position:</b> Oblique		<b>32. Cutting thickness [mm]:</b> 1-14	