

Cooking range gas with static gas oven GN 2/1 - 4x burner ECO			
Model	SAP Code	00110111	




- Device type: Gas unit
- Power consumption of the zone 1 [kW]: 6
- $-\,$ Power consumption of the zone 2 [kW]: 6 $\,$
- Power consumption of the zone 3 [kW]: 6
- Power consumption of the zone 4 [kW]: 3,5
- Type of internal part of the appliance 1 (eg oven): Gas
- Type of internal part of the appliance 2 (eg oven): Static
- Material: AISI 304 top plate, AISI 430 cladding

SAP Code	00110111	Power consumption of the zone 2 [kW]	6
Net Width [mm]	800	Power consumption of the zone 3 [kW]	6
Net Depth [mm]	700	Power consumption of the zone 4 [kW]	3,5
Net Height [mm]	900	Type of internal part of the ap- pliance 1 (eg oven)	Gas
Net Weight [kg]	84.00	Type of internal part of the ap- pliance 2 (eg oven)	Static
Power gas [kW]	27.500	Width of internal part [mm]	657
Type of gas	Natural gas, propane butane	Depth of internal part [mm]	558
Number of zones	4	Height of internal part [mm]	355
Power consumption of the zone 1 [kW]	6	Diameter of device [mm]	100



 Cooking range gas with static gas oven GN 2/1 - 4x burner ECO

 Model
 SAP Code
 00110111



Product benefits



del		SAP Code	00110111	
•	Massive construction of b	ourners		
	high performance and efficient cast iron burners removable long life	Cy		
	 energy saving (perfect cor 	nbustion)		
	 time saving for food prepa 	aration		
	 easy maintenance/cleanir 	ng		
	Hygienic moldings of the	top plate		
2	absence of sharp corners and e where dirt could stick) smooth transitions			
	 easy quick cleaning 			
3	Degree of protection of t elements IPX4	ne control		
	maintenance-free system resistance to splash water			
	long life	ationa		
	 savings on service interve easy cleaning and mainte 			
Л	All-stainless design			
4	long life resistance of a ground steel pla a thickness of 10 mm	ate with		
	 – savings on service interve 	ntions		
	 higher corrosion resistance 			
_	Safety element – thermo	couple		
5	safe operation for personnel there is no overheating and da	-		
	long life – savings on service interve	ntions		
	 easier and faster operation 			
	Large electric oven with	four positions for		
6	racks with static cooking			
	possibility of baking			
	high capacity and variability all-stainless design			
	 – suitable for yeast dishes a 	nd desserts		
	 long service life 			
	 easy to clean 			



Cooking range gas with static gas	oven GN 2/1 - 4x burne	er ECO
Model	SAP Code	00110111
1. SAP Code: 00110111		15. Worktop material: AISI 304
2. Net Width [mm]: 800		16. Worktop Thickness [mm]: 1.20
3. Net Depth [mm]: 700		17. Number of zones: 4
4. Net Height [mm]: 900		18. Power consumption of the zone 1 [kW]:
5. Net Weight [kg]: 84.00		19. Power consumption of the zone 2 [kW]:
6. Gross Width [mm]: 840		20. Power consumption of the zone 3 [kW]:
7. Gross depth [mm]: 800		21. Power consumption of the zone 4 [kW]: 3,5
8. Gross Height [mm]: 975		22. Number of power control stages:
9. Gross Weight [kg]: 107.00		23. Adjustable feet: Yes
10. Device type: Gas unit		24. Number of burners/hot plates:
11. Construction type of device: With substructure		25. Diameter of device [mm]: 100
12. Power gas [kW]: 27.500		26. Type of gas cooking zones: Cast iron burners
13. Type of gas: Natural gas, propane butane		27. Type of internal part of the appliance 1 (eg oven): Gas
14. Material: AISI 304 top plate, AISI 430 cladding	g	28. Type of internal part of the appliance 2 (eg oven): Static



Cooking range gas with static gas oven GN 2/1 - 4x burner ECO		
Model	SAP Code	00110111
29. Width of internal part [mm]: 657		32. Maximum temperature of the inner chamber [°C]: 300
30. Depth of internal part [mm]: 558		33. Minimum temperature of the inner chamber [°C]: 50
31. Height of internal part [mm]: 355		34. Number of internal parts: 4