



Cooking range solid top gas with static gas oven GN 2/1 - 3x burner

Model

SAP Code

00004676



- Device type: Gas unit
- Power consumption of the zone 1 [kW]: 7,5
- Power consumption of the zone 2 [kW]: 7
- Power consumption of the zone 3 [kW]: 5,5
- Ignition: Piezo+večný plamen
- Type of internal part of the appliance 1 (eg oven): Gas
- Type of internal part of the appliance 2 (eg oven): Static
- Protection of controls: IPX5
- Material: Stainless steel


SAP Code	00004676	Power consumption of the zone 2 [kW]	7
Net Width [mm]	800	Power consumption of the zone 3 [kW]	5,5
Net Depth [mm]	705	Type of internal part of the appliance 1 (eg oven)	Gas
Net Height [mm]	900	Type of internal part of the appliance 2 (eg oven)	Static
Net Weight [kg]	150.00	Width of internal part [mm]	670
Power gas [kW]	27.300	Depth of internal part [mm]	550
Type of gas	Natural gas, propane butane	Height of internal part [mm]	340
Number of zones	3	Solid top dimensions [mm x mm]	370 x 570
Power consumption of the zone 1 [kW]	7,5		




Technical drawing

Cooking range solid top gas with static gas oven GN 2/1 - 3x burner

Model SAP Code 00004676





Α	Data plate	C	Gas connection	ISO 7-1 3/4" M

Product benefits



Cooking range solid top gas with static gas oven GN 2/1 - 3x burner

Model SAP Code 00004676

1

Massive construction of burners

high performance and efficiency cast iron burners removable long life

- energy saving (perfect combustion)
- time saving for food preparation
- easy maintenance/cleaning

2

Hygienic moldings of the top plate

absence of sharp corners and edges (potential places where dirt could stick) smooth transitions

- easy quick cleaning

3

Degree of protection of the control elements IPX5

maintenance-free system resistance to splash water long life

- savings on service interventions
- easy cleaning and maintenance of equipment

4

All-stainless design

the material does not cut wear resistance of the material long life

- savings on service interventions
- easy cleaning and maintenance of equipment

5

Safety element - thermocouple

safe operation for personnel there is no overheating and damage to the thallus long life

- savings on service interventions
- easier and faster operation

6

Piezoelectric ignition

instant flame ignition there is no unnecessary gas leakage long life

- savings on service interventions
- easier and faster operation

7

Massive thal

15mm material ensures even distribution of heat and heating of the product (heat several pots at the same time at the same temperature) material resistance long life


- time saving
- ease of operation
- savings on service interventions

8

Large electric oven with four positions for racks with static cooking

static baking high capacity and variability all-stainless design

- suitable for yeast dishes and desserts
- long service life
- easy to clean





Cooking range solid top gas with static gas oven GN 2/1 - 3x burner			
Model SAP Code	00004676		
1. SAP Code: 00004676	14. Type of gas: Natural gas, propane butane		
2. Net Width [mm]: 800	15. Protection of controls: IPX5		
3. Net Depth [mm]: 705	16. Material: Stainless steel		
4. Net Height [mm]: 900	17. Worktop type: Molded - comfortable cleaning maintenance		
5. Net Weight [kg]: 150.00	18. Worktop material: AISI 304		
6. Gross Width [mm]: 830	19. Worktop Thickness [mm]: 2.00		
7. Gross depth [mm]: 770	20. Number of zones:		
8. Gross Height [mm]: 1110	21. Power consumption of the zone 1 [kW]: 7,5		
9. Gross Weight [kg]: 165.00	22. Power consumption of the zone 2 [kW]:		
.0. Device type: Gas unit	23. Power consumption of the zone 3 [kW]: 5,5		
1. Construction type of device: With substructure	24. Number of power control stages:		
.2. Power gas [kW]: 27.300	25. Service accessibility: From the front by removing the front panel and waste fluid containers		

26. Safety element:

thermocouple safety feature safety thermostat 360 °C

13. Ignition:

Piezo+večný plamen



Technical parameters

Cooking range solid top gas with static gas oven GN 2/1 - 3x burner				
Model SAP Code	00004676			
27. Safety thermocouple: Yes	39. Width of internal part [mm]: 670			
28. Safety thermostat: Yes	40. Depth of internal part [mm]: 550			
29. Safety thermostat up to x ° C: 360	41. Height of internal part [mm]: 340			
80. Adjustable feet: Yes	42. Maximum temperature of the inner chamber [°C]:			
31. Number of burners/hot plates:	43. Minimum temperature of the inner chamber [°C]:			
32. Type of gas cooking zones: Fire protection to install + Classic burners	44. Inner ignition: Piezoelectric			
33. Burner type: Cast iron, detachable, with internal and external combustion	45. Number of internal parts: 4			
34. Oven Type: gas static	46. Solid top thickness [mm]:			
35. Oven size: GN 2/1	47. Solid top dimensions [mm x mm]: 370 x 570			
36. Oven material: Stainless steel	48. Solid top material: chrome-molybdenum			
37. Type of internal part of the appliance 1 (eg oven): Gas	49. Solid top ignition: Piezo + Eternal Flame			

Static

38. Type of internal part of the appliance 2 (eg oven):