Product features




Pizza oven elongated 2 chambers 12x d=33 cm					
Model	SAP Code	00006150			
		 Pizza capacity [cm]: 12x 33 cm Stoneplates: Lower Stone plates thickness [mm]: 14 Material: Stainless steel Control type: Mechanical Type of handle: in the entire length stainless steel Steam protection: Yes Independent heating zones: Sepate each chamber Chimney for moisture extraction: Adjustable chimney: Yes Interior lighting: Yes 	rate control for		
SAP Code	00006150	Minimum device tem- perature [°C]	50		
Net Width [mm]	1305	Maximum device tem- perature [°C]	450		
Net Depth [mm]	835	Width of internal part [mm]	1050		
Net Height [mm]	763	Depth of internal part [mm]	700		
Net Weight [kg]	230.00	Height of internal part [mm]	150		
Power electric [kW]	16.000	Pizza capacity [cm]	12x 33 cm		

Loading 400 V / 3N - 50 Hz

Technical drawing

Pizza oven elongated 2 chambers 12x d=33 cm







Product benefits



za oven elongated 2 chambers 12x d=33 cm				
el	SAP Code	00006150		
	Manual controls - Set values using rotary knobs			
	clear and simple user-friendly temperature settings			
	 quick and easy for the user to operate, no training required for operationlong service life 			
)	Chamber heating in the temperature range of 50 to 450°C			
-	the temperature range enables the preparation of various			
	types of dough and meat; can also be used for baking			
	 we have a crispy pizza in a short time - I can make a pizza according to the dough, the customer does 			
	not wait long and the operator serves multiple			
	customers - multiple turns in one oven			
3	Fireclay plate 14mm placed below with heaters under the plate			
	proper accumulation and uniformity of heat distribution			
	 no scorching and the pizza is evenly cooked and 			
	does not burn, no temperature fluctuation, no need for the cook to check and adjust the baking,			
	lower demands on the knowledge and skills of the pizza maker			
_	Glass set in the door			
4	checking the product during heat treatment without having to open the door			
	 I don't lose temperature when baking by 			
	unnecessarily opening the door without glass, saving energy			
5	2x thermostat, separate control of upper and			
	lower heaters more precise regulation of heat in the chamber, according			
	to the type of dough or food – better final product quality; non-scorching, variability			
	 - suitable for various adjustments, better comfort for the experienced cook, suitable for professionals 			
C	Analog thermometer measuring the			
0	temperature in the chamber certainty of the set temperature, I will check whether it is			
	set correctly and that the device works correctly for me			
	 I am aware of and can react to deviations from the required temperatures 			

Technical parameters



Pizza oven elongated 2 chambers 12x d=	=33 cm
Model SAP	Code 00006150
1. SAP Code: 00006150	15. Width of internal part [mm]: 1050
2. Net Width [mm]: 1305	16. Depth of internal part [mm]:
3. Net Depth [mm]: 835	17. Height of internal part [mm]: 150
4. Net Height [mm]: 763	18. Minimum device temperature [°C]: 50
5. Net Weight [kg]: 230.00	19. Maximum device temperature [°C]: 450
6. Gross Width [mm]: 1350	20. Pizza capacity [cm]: 12x 33 cm
7. Gross depth [mm]: 940	21. Thermometer: Analog
8. Gross Height [mm]: 810	22. Indicators: operation
9. Gross Weight [kg]: 242.00	23. Number of internal parts: 12
10. Material: Stainless steel	24. On/Off button: Yes
11. Device type: Electric unit	25. Type of handle: in the entire length of the door, stainless steel
12. Power electric [kW]: 16.000	26. Steam protection: Yes
13. Loading: 400 V / 3N - 50 Hz	27. Protection of controls: IPX4
14. Control type: Mechanical	28. Stoneplates: Lower

Technical parameters



Pizza oven elongated 2 chambers 12x d=33 cm				
Model	SAP Code	00006150		
29. Stone plates thickness [mm]:		33. Number of cavities:		
17		<u></u>		
30. Independent heating zones: Separate control for each chamber		34. Chimney for moisture extraction: Yes		
31. Interior lighting: Yes		35. Adjustable chimney: Yes		
32. Safety element: safety thermostat				