

# Technical data sheet

## Product features



### Fry-top griddle plate 97x48 electric combined without cabinet 400 V

Model	SAP Code	00011365
-------	----------	----------



- Top type: Combined
- Griddle dimensions [mm x mm]: 970 x 480
- Griddle thickness [mm]: 10.00
- Worktop material: Sandblasted steel
- Container for liquid fat: Yes
- Independent heating zones: Separate control for each heating zone
- Maximum device temperature [°C]: 300
- Surface finish: sandblasted surface without coating
- Removable rim: No

<b>SAP Code</b>	00011365	<b>Power electric [kW]</b>	9.000
<b>Net Width [mm]</b>	988	<b>Loading</b>	400 V / 3N - 50 Hz
<b>Net Depth [mm]</b>	609	<b>Griddle dimensions [mm x mm]</b>	970 x 480
<b>Net Height [mm]</b>	290	<b>Top type</b>	Combined
<b>Net Weight [kg]</b>	76.00		

# Technical data sheet



## Product benefits

### Fry-top griddle plate 97x48 electric combined without cabinet 400 V

Model	SAP Code	00011365
-------	----------	----------

1

#### All-stainless design

long life  
resistance of AISI 304 stainless steel material  
the material does not cut

- savings on service interventions
- easier and faster operation

2

#### Degree of protection of the control elements IPX4

maintenance-free system  
resistance to splash water  
long life

- savings on service interventions
- easy cleaning and maintenance of equipment

3

#### Outlet for waste liquids

ensures that oil drips into the socket

- easy maintenance
- easy cleaning

4

#### High non-removable hem

better hygienic conditions  
preventing grease from splashing onto  
ancillary equipment

- easy maintenance
- easy cleaning

5

#### Combined steel plate

good heat transfer and the surface does not get scratched  
enables preparation on smooth or grooved plates

- time-saving in food preparation
- easy preparation of different types of dishes

6

#### Cooking unit for use on a table or on a base

variable use  
the possibility of placement in smaller spaces

- easy handling
- cost savings on substructure

# Technical data sheet

## Technical parameters



### Fry-top griddle plate 97x48 electric combined without cabinet 400 V

**Model**

**SAP Code**

00011365

**1. SAP Code:**

00011365

**2. Article group:**

RF-Line 600

**3. Net Width [mm]:**

988

**4. Net Depth [mm]:**

609

**5. Net Height [mm]:**

290

**6. Net Weight [kg]:**

76.00

**7. Gross Width [mm]:**

705

**8. Gross depth [mm]:**

1055

**9. Gross Height [mm]:**

540

**10. Gross Weight [kg]:**

83.00

**11. Device type:**

Electric unit

**12. Construction type of device:**

Table top

**13. Power electric [kW]:**

9.000

**14. Loading:**

400 V / 3N - 50 Hz

**15. Protection of controls:**

IPX4

**16. Material:**

AISI 430

**17. Indicators:**

operation and warm-up

**18. Worktop material:**

Sandblasted steel

**19. Surface finish:**

sandblasted surface without coating

**20. Maximum device temperature [°C]:**

300

**21. Minimum device temperature [°C]:**

50

**22. Adjustable feet:**

Yes

**23. Griddle dimensions [mm x mm]:**

970 x 480

**24. Griddle thickness [mm]:**

10.00

**25. Container for liquid fat:**

Yes

**26. Independent heating zones:**

Separate control for each heating zone

**27. Removable rim:**

No

**28. Uniform heating:**

Yes

# Technical data sheet

Technical parameters



**Fry-top griddle plate 97x48 electric combined without cabinet 400 V**

Model	SAP Code	00011365
-------	----------	----------

## 29. Top type:

Combinated