



Ice maker hollow ice cube 22 g air cooling 112 kg/24h

**Model SAP Code** 00018498



- Cooling type: Air

- Max ambient temperature [°C]: 43

- Min ambient temperature [°C]: 10

- Type of ice: Hatter

- Weight of ice [g]: 22.00

- Production per day [kg]: 112

- Water consumption [ l/h ]: 14.20

- Container for ice: Yes

- Material: AISI 304


SAP Code	00018498	Cooling type	Air
Net Width [mm]	715	Water consumption [ l/h ]	14.20
Net Depth [mm]	700	Production per day [kg]	112
Net Height [mm]	1149	Type of ice	Hatter
Net Weight [kg]	95.00	Weight of ice [g]	22.00
Power electric [kW]	0.934	Ice storage capacity [kg]	60
Loading	230 V / 1N - 50 Hz		








Ice maker hollow ice cube 22 g air cooling 112 kg/24h

Model **SAP Code** 00018498









<sup>\*</sup> All measurements in mm. \* Todas las cotas en mm.





#### Ice maker hollow ice cube 22 g air cooling 112 kg/24h

 Model
 SAP Code
 00018498

### Firm and crystal clear ice hats

icy hats without dirt

- health safety and aesthetic impression

### A3S: System with flexible nozzles with minor vibrations

prevents limescale from settling.

 longer life of the device without the need to remove scale

#### **SFVS front ventilation**

allows the units of the unit to the interior

- variability of the location of the device

#### **Cleaning switch**

disconnects the cooling system when circulating water with a limescale removal product

- saving human work and time

### Motor pump "NEVER STOP" (construction without seal)

prevents depreciation in hard water

 longer life of the device without the need to remove scale = economic and time savings

### EASI: Installation and service system - all panels can be removed separately

easy access for installation and service.

- saving time, human work, costs

#### Printed circuit board at the bottom

easy service

- saving time and human work

#### Tropical version of the machine (class t)

adaptation to extreme climatic conditions.

- use in extreme climatic conditions

### Stif: a construction supported by 4 -steel columns

strength

 the possibility of higher loads and a difficult deformation



### Technical parameters

Ice maker hollow ice cube 22 g ai	r cooling 112 kg/24h	
Model	SAP Code	00018498
<b>1. SAP Code:</b> 00018498		15. Cooling type:  Air
2. Article group: Ice makers		16. Material: AISI 304
<b>3. Net Width [mm]:</b> 715		17. Device color: Stainless steel
<b>4. Net Depth [mm]:</b> 700		18. Min ambient temperature [°C]:
<b>5. Net Height [mm]:</b> 1149		19. Max ambient temperature [°C]: 43
<b>6. Net Weight [kg]:</b> 95.00		<b>20. Additional information:</b> Max. height with legs 1199 mm
<b>7. Gross Width [mm]:</b> 790		21. Production per day [kg]: 112
8. Gross depth [mm]: 770		<b>22. Water consumption [ l/h ]:</b> 14.20
9. Gross Height [mm]:		<b>23. Door of device:</b> Full
10. Gross Weight [kg]: 102.00		<b>24. Type of ice:</b> Hatter - Kloboučkový
11. Device type: Electric unit		25. Weight of ice [g]: 22.00
12. Power electric [kW]: 0.934		<b>26. Container for ice:</b> Yes
<b>13. Loading:</b> 230 V / 1N - 50 Hz		27. Ice storage capacity [kg]: 60

**14. Refrigerant:** R290