

# Technical data sheet

## Product features



### Pasta cooker gas 40 + 40 l with cabinet

<b>Model</b>	<b>SAP Code</b>	00005927
--------------	-----------------	----------



- Basin volume [l]: 80
- Water inlet: mechanical tap
- Drain type: Trough the cabinet
- Drain: Yes
- Material: Stainless steel
- Protection of controls: IPX5
- Ignition: Piezo + večný plamen

<b>SAP Code</b>	00005927	<b>Power gas [kW]</b>	31.500
<b>Net Width [mm]</b>	800	<b>Type of gas</b>	Natural gas, propane butane
<b>Net Depth [mm]</b>	900	<b>Basin volume [l]</b>	80
<b>Net Height [mm]</b>	900	<b>Width of internal part [mm]</b>	620
<b>Net Weight [kg]</b>	100.00	<b>Depth of internal part [mm]</b>	509
<b>Power electric [kW]</b>	0.020	<b>Height of internal part [mm]</b>	327
<b>Loading</b>	230 V / 1N - 50 Hz		

# Technical data sheet

Technical drawing




Pasta cooker gas 40 + 40 l with cabinet

Model

SAP Code

00005927



A	Data plate		B	Electrical connection	
C	Gas connection	ISO 7-1 1/2" M	D	Cold water connection	ISO 7-1 3/4" M
E	Water drainage	ISO 7-1 1" M			

# Technical data sheet

## Product benefits



### Pasta cooker gas 40 + 40 l with cabinet

Model

SAP Code

00005927

1

#### All-stainless steel bathtub

long life  
resistance of AISI 304 stainless steel material  
the material does not cut

- savings on service interventions
- easier and faster operation

2

#### Degree of protection of the control elements IPX5

maintenance-free system  
resistance to splash water  
long life

- savings on service interventions
- easy cleaning and maintenance of equipment

3

#### Pressure switch microswitch

microswitch preventing the device from running when there is no water in the bath

- prevents destruction of the equipment by overheating

4

#### Safety element - thermocouple

safe service for staff  
there is no unnecessary gas leakage  
long life

- savings on service interventions
- easier and faster operation

5

#### Outlet to a removable collector in the substructure with the option of connecting directly to the waste

draining the bath into a prepared container or into the waste

- easy and safe handling
- easier cleaning of the cooking vessel

6

#### Integrated filling of the water bath

filling valve directly above the cooking vessel

- possibility of adding water during cooking
- easier cleaning

# Technical data sheet

Technical parameters



## Pasta cooker gas 40 + 40 l with cabinet

Model

SAP Code

00005927

**1. SAP Code:**

00005927

**2. Net Width [mm]:**

800

**3. Net Depth [mm]:**

900

**4. Net Height [mm]:**

900

**5. Net Weight [kg]:**

100.00

**6. Gross Width [mm]:**

830

**7. Gross depth [mm]:**

970

**8. Gross Height [mm]:**

1110

**9. Gross Weight [kg]:**

110.00

**10. Device type:**

Gas unit

**11. Construction type of device:**

With substructure

**12. Power electric [kW]:**

0.020

**13. Loading:**

230 V / 1N - 50 Hz

**14. Power gas [kW]:**

31.500

**15. Ignition:**

Piezo + večný plamen

**16. Type of gas:**

Natural gas, propane butane

**17. Protection of controls:**

IPX5

**18. Device color:**

Stainless steel

**19. Material:**

Stainless steel

**20. Indicators:**

operation and warm-up

**21. Worktop type:**

Molded - comfortable cleaning maintenance

**22. Basin volume [l]:**

80

**23. Basin dimensions [mm x mm x mm]:**

620 x 509 x 327

**24. Safety thermocouple:**

Yes

**25. Adjustable feet:**

Yes

**26. Heating element material:**

AISI 304

**27. Number of basins:**

1

**28. Basin material:**

AISI 316 - Stainless steel highly resistant to salt water

# Technical data sheet

Technical parameters



## Pasta cooker gas 40 + 40 l with cabinet

**Model**

**SAP Code**

00005927

**29. Ratio power/volume [kW/l]:**

31.50

**33. Drain:**

Yes

**30. Heating element construction:**

Swivel

**34. Width of internal part [mm]:**

620

**31. Water inlet:**

mechanical tap

**35. Depth of internal part [mm]:**

509

**32. Drain type:**

Trough the cabinet

**36. Height of internal part [mm]:**

327