

Technical data sheet



Product features

Cooking range electric with electric convection oven GN 1/1 - 4x plate 400 V

Model	SAP Code	00012310
--------------	-----------------	----------



- Device type: Electric unit
- Power consumption of the zone 1 [kW]: 3,5
- Power consumption of the zone 2 [kW]: 3,5
- Power consumption of the zone 3 [kW]: 3,5
- Power consumption of the zone 4 [kW]: 3,5
- Type of internal part of the appliance 1 (eg oven): Electric
- Type of internal part of the appliance 2 (eg oven): Hot air
- Material: AISI 304 top plate, AISI 430 cladding

SAP Code	00012310	Power consumption of the zone 2 [kW]	3,5
Net Width [mm]	800	Power consumption of the zone 3 [kW]	3,5
Net Depth [mm]	900	Power consumption of the zone 4 [kW]	3,5
Net Height [mm]	900	Type of internal part of the appliance 1 (eg oven)	Electric
Net Weight [kg]	109.00	Type of internal part of the appliance 2 (eg oven)	Hot air
Power electric [kW]	17.130	Width of internal part [mm]	360
Loading	400 V / 3N - 50 Hz	Depth of internal part [mm]	548
Number of zones	4	Height of internal part [mm]	338
Power consumption of the zone 1 [kW]	3,5	Diameter of device [mm]	300

Technical data sheet



Product benefits

Cooking range electric with electric convection oven GN 1/1 - 4x plate 400 V

Model

SAP Code

00012310

1

Round plates

quick warm-up
efficient cooking on a round surface with easy
adhesion to dishes

- time-saving in food preparation
- easy to use thanks to the large surface area of the
cooking plates

2

Internal thermostatic plate protection

longer service life of the plates

- no overheating of the plates and no cracking

3

Degree of protection of the control elements IPX4

maintenance-free system
resistance to splash water
long life

- savings on service interventions
- easy cleaning and maintenance of equipment

4

All-stainless design

long life
resistance of a ground steel plate with
a thickness of 10 mm

- savings on service interventions
- higher corrosion resistance

5

Hygienic moldings of the top plate

absence of sharp corners and edges (potential places
where dirt could stick)
smooth transitions

- easy quick cleaning

6

Hot air oven

hot air baking
high capacity and variability
all-stainless design

- suitable for meat, fish, baked pasta, white meat,
sweet pastries
- long service life
- easy to clean

Technical data sheet



Technical parameters

Cooking range electric with electric convection oven GN 1/1 - 4x plate 400 V

Model

SAP Code

00012310

1. SAP Code:

00012310

2. Net Width [mm]:

800

3. Net Depth [mm]:

900

4. Net Height [mm]:

900

5. Net Weight [kg]:

109.00

6. Gross Width [mm]:

970

7. Gross depth [mm]:

840

8. Gross Height [mm]:

1160

9. Gross Weight [kg]:

119.00

10. Device type:

Electric unit

11. Construction type of device:

Stationary

12. Power electric [kW]:

17.130

13. Loading:

400 V / 3N - 50 Hz

14. Material:

AISI 304 top plate, AISI 430 cladding

15. Worktop type:

Molded - comfortable cleaning maintenance

16. Worktop material:

AISI 304

17. Worktop Thickness [mm]:

1.50

18. Number of zones:

4

19. Power consumption of the zone 1 [kW]:

3,5

20. Power consumption of the zone 2 [kW]:

3,5

21. Power consumption of the zone 3 [kW]:

3,5

22. Power consumption of the zone 4 [kW]:

3,5

23. Maximum device temperature [°C]:

300

24. Minimum device temperature [°C]:

50

25. Number of power control stages:

6

26. Safety element:

internal thermostatic protection of the hotplate against overheating

27. Adjustable feet:

Yes

28. Number of burners/hot plates:

4

Technical data sheet



Technical parameters

Cooking range electric with electric convection oven GN 1/1 - 4x plate 400 V

Model

SAP Code

00012310

29. Diameter of device [mm]:

300

30. Type of electric cooking zones:

Oval

31. Oven Type:

electric hot air

32. Oven size:

GN 1/1

33. Oven material:

Stainless steel

34. Type of internal part of the appliance 1 (eg oven):

Electric

35. Type of internal part of the appliance 2 (eg oven):

Hot air

36. Width of internal part [mm]:

360

37. Depth of internal part [mm]:

548

38. Height of internal part [mm]:

338

39. Number of internal parts:

4