
Product features




Pizza oven 1 chamber 1x d=50 cm		
Model	SAP Code	00009993
		<ul> <li>Pizza capacity [cm]: 1x 50 cm</li> <li>Stoneplates: Lower</li> <li>Stone plates thickness [mm]: 14</li> <li>Material: Stainless steel</li> <li>Control type: Mechanical</li> <li>Type of handle: Short, plastic</li> <li>Steam protection: Yes</li> <li>Chimney for moisture extraction: Yes</li> <li>Adjustable chimney: Yes</li> <li>Interior lighting: Yes</li> </ul>

SAP Code	00009993	Minimum device tem- perature [°C]	50
Net Width [mm]	833	Maximum device tem- perature [°C]	450
Net Depth [mm]	655	Width of internal part [mm]	550
Net Height [mm]	412	Depth of internal part [mm]	550
Net Weight [kg]	41.00	Height of internal part [mm]	150
Power electric [kW]	4.000	Pizza capacity [cm]	1x 50 cm
Loading	400 V / 3N - 50 Hz		

#### Technical drawing





REDFOX

#### Product benefits



Pizza oven 1 chamber 1x d=50 cm			
Model		SAP Code	00009993
1	<b>Manual controls - Set val</b> clear and simple user-friendly – quick and easy for the use required for operationlon	temperature settings er to operate, no training	
2	Chamber heating in the temperature range of 50 to 450°C the temperature range enables the preparation of various types of dough and meat; can also be used for baking - we have a crispy pizza in a short time - I can make a pizza according to the dough, the customer does not wait long and the operator serves multiple customers - multiple turns in one oven		
3	Fireclay plate 14mm placed below with heaters under the plate proper accumulation and uniformity of heat distribution - no scorching and the pizza is evenly cooked and does not burn, no temperature fluctuation, no need for the cook to check and adjust the baking, lower demands on the knowledge and skills of the pizza maker		
4	Glass set in the door checking the product during h having to open the door - I don't lose temperature v unnecessarily opening the saving energy	vhen baking by	
5	2x thermostat, separate lower heaters more precise regulation of heat to the type of dough or food – better final quality of the p variability - suitable for dif comfort for the experience professionals	t in the chamber, according product; no burning, fferent treatments, better	
6	Analog thermometer measuring the temperature in the chamber certainty of the set temperature, I will check whether it is set correctly and that the device works correctly for me - I am aware of and can react to deviations from the required temperatures		

Technical parameters



Pizza oven 1 chamber 1x d=50 cm	
Model S/	<b>AP Code</b> 00009993
<b>1. SAP Code:</b> 00009993	<b>15. Width of internal part [mm]:</b> 550
<b>2. Net Width [mm]:</b> 833	<b>16. Depth of internal part [mm]:</b> 550
<b>3. Net Depth [mm]:</b> 655	<b>17. Height of internal part [mm]:</b> 150
<b>4. Net Height [mm]:</b> 412	<b>18. Minimum device temperature [°C]:</b> 50
<b>5. Net Weight [kg]:</b>	<b>19. Maximum device temperature [°C]:</b>
41.00	450
<b>6. Gross Width [mm]:</b>	20. Stacking availability:
890	Yes
<b>7. Gross depth [mm]:</b>	<b>21. Pizza capacity [cm]:</b>
780	1x 50 cm
8. Gross Height [mm]:	<b>22. Thermometer:</b>
563	Analog
<b>9. Gross Weight [kg]:</b>	23. Indicators:
48.00	operation
<b>10. Material:</b> Stainless steel	24. Number of internal parts:
<b>11. Device type:</b>	<b>25. On/Off button:</b>
Electric unit	Yes
<b>12. Power electric [kW]:</b>	<b>26. Type of handle:</b>
4.000	Short, plastic
<b>13. Loading:</b>	<b>27. Steam protection:</b>
400 V / 3N - 50 Hz	Yes
<b>14. Control type:</b>	<b>28. Protection of controls:</b>
Mechanical	IPX4

Technical parameters



Pizza oven 1 chamber 1x d=50 cm	
Model SAP Code	00009993
29. Stoneplates:	33. Number of cavities:
Lower	
<b>30. Stone plates thickness [mm]:</b> 14	<b>34. Chimney for moisture extraction:</b> Yes
<b>31. Interior lighting:</b> Yes	<b>35. Adjustable chimney:</b> Yes
32. Safety element: safety thermostat	